

À des fins de recherche uniquement

Anticorps Monoclonal anti-C3/C3b/C3c

Numéro de catalogue:[CL594-66157](#)



Informations de base

Numéro de catalogue:	Numéro d'acquisition GenBank:	Méthode de purification:
CL594-66157	BC150179	Purification par protéine G
Taille:	Identification du gène (NCBI):	CloneNo.:
100ul , Concentration: 2000 µg/ml by Bradford method using BSA as the standard;	718	2A6B3
Hôte:	Nom complet:	Dilutions recommandées:
Mouse	complement component 3	IF 1:50-1:500
Isotype:	MW calculé	Excitation/Emission maxima wavelengths:
IgG1	1663 aa, 187 kDa	588 nm / 604 nm
Immunogen Catalog Number:	MW observés:	
AG15955	115 kDa	

Applications

Applications testées:	Contrôles positifs:
IF	IF : cellules HepG2,
Spécificité de l'espèce:	
Humain	

Informations générales

The complement system is an important effector which bridges the innate and adaptive immune systems (PMID: 20010915). The third component of complement, C3, plays a central role in the activation of the complement system. Its processing by C3 convertase is the central reaction in both classical and alternative complement pathways (PMID: 11414361). Human C3, composed of α and β chains (115 and 75 kDa, respectively), is cleaved into C3a and C3b by C3 convertase. C3b is further cleaved into iC3b, C3c, C3dg and C3f. This antibody raised against 1314-1663 aa of human C3 protein recognize C3 alpha chain, C3b alpha' chain, and C3c alpha' chain fragment 2.

Stockage


Stockage:
Stocker à -20 °C. Éviter toute exposition à la lumière. Stable pendant un an après l'expédition.
Tampon de stockage:
PBS avec glycérol à 50 %, Proclin300 à 0,05 % et BSA à 0,5 %, pH 7,3.
L'aliquotage n'est pas nécessaire pour le stockage à -20°C

*** Les 20ul contiennent 0,1% de BSA.

For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using CL594-66157 (C3/C3b/C3c antibody) at dilution of 1:100.