

À des fins de recherche uniquement

Anticorps Recombinant de lapin anti-TDP-43 (for IF/FC)



Numéro de catalogue: CL594-80002

Informations de base

Numéro de catalogue: CL594-80002	Numéro d'acquisition GenBank: BC001487	Méthode de purification: Purification par protéine A
Taille: 100ul, Concentration: 1000 µg/ml by Nanodrop;	Identification du gène (NCBI): 23435	CloneNo.: 16A22
Hôte: Lapin	Nom complet: TAR DNA binding protein	Dilutions recommandées: IF 1:50-1:500
Isotype: IgG	MW calculé: 43 kDa	Excitation/Emission maxima wavelengths: 588 nm / 604 nm
Immunogen Catalog Number: AG1231	MW observés: 43 kDa	

Applications

Applications testées: FC (Intra), IF	Contrôles positifs: IF : tissu cérébral de souris,
Spécificité de l'espèce: Humain, rat, souris	

Informations générales

The TARDBP gene encodes the TDP-43 protein, initially found to repress HIV-1 transcription by binding TAR DNA. TDP-43 has since been shown to bind RNA as well as DNA, and have multiple functions in transcriptional repression, translational regulation and pre-mRNA splicing. For instance, it is reported to regulate alternate splicing of the CTFR gene. In 2006 Neumann et al. found that hyperphosphorylated, ubiquitinated and/or cleaved forms of TDP-43, collectively known as pathological TDP-43, play a major role in the disease mechanisms of ubiquitin-positive, tau- and alpha-synuclein-negative frontotemporal dementia (FTLD-U) and in amyotrophic lateral sclerosis (ALS).

Stockage

Stockage:
Stocker à -20 °C. Éviter toute exposition à la lumière. Stable pendant un an après l'expédition.
Tampon de stockage:
PBS avec glycérol à 50 %, Proclin300 à 0,05 % et BSA à 0,5 %, pH 7,3.
L'aliquotage n'est pas nécessaire pour le stockage à -20C

***** Les 20ul contiennent 0,1% de BSA.**


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Données de validation sélectionnées




Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using CL594-80002 (TDP-43 (for IF/FC) antibody) at dilution of 1:100.



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using CL594-80002 (TDP-43 (for IF/FC) antibody) at dilution of 1:100.



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using CL594-80002 (TDP-43 (for IF/FC) antibody) at dilution of 1:100.



1×10^6 HeLa cells were stained with 0.2 μ g CoraLite®594 Anti-Human TDP-43 (for IF/FC) (CL594-80002, Clone: 16A22) (red), or 0.2 μ g CoraLite®594 Mouse IgG1 Isotype Control (CL594-66360, Clone: T1F8D3F10) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).