

À des fins de recherche uniquement

Anticorps Polyclonal de lapin anti-OPTN

Numéro de catalogue:**CL647-10837**

Phare



Informations de base

| | | | |
|---------------------------|--|--------------------------------|---|
| Numéro de catalogue: | BC013876 | Numéro d'acquisition GenBank: | Méthode de purification: |
| CL647-10837 | | | Purification par affinité contre l'antigène |
| Taille: | 100ul , Concentration: 1000 µg/ml by Nanodrop; | Identification du gène (NCBI): | Excitation/Emission maxima wavelengths: |
| | 10133 | | 654 nm / 674 nm |
| Hôte: | Lapin | Nom complet: | |
| | | optineurin | |
| Isotype: | IgG | MW calculé | |
| | | 66 kDa | |
| Immunogen Catalog Number: | AG1272 | MW observés: | |
| | | 66 kDa, 70-74 kDa | |

Applications

Applications testées:

FC (Intra)

Spécificité de l'espèce:

Humain, rat, souris

Informations générales

OPTN, also named as FIP2, GLC1E, HIP7, HYPL and NRP, plays a neuroprotective role in the eye and optic nerve. It is probably part of the TNF-alpha signaling pathway that can shift the equilibrium toward induction of cell death. OPTN may act by regulating membrane trafficking and cellular morphogenesis via a complex that contains Rab8 and huntingtin (HD). OPTN may constitute a cellular target for adenovirus E3 14.7, an inhibitor of TNF-alpha functions, thereby affecting cell death. Defects in OPTN are the cause of primary open angle glaucoma type 1E (GLC1E). Defects in OPTN are a cause of susceptibility to normal pressure glaucoma (NPG). OPTN mutated in adult-onset primary open angle glaucoma. It supports the protective role of OPTN in the trabecular meshwork. OPTN has 3 isoforms with MW 66,65 and 60 kDa (refer to UniProt). Catalog#10837-1-AP recognises 66 and 70-74 kDa band, and the additional 70-74 kDa band due to phosphorylation.

Stockage

Stockage:

Stocker à -20 °C. Éviter toute exposition à la lumière.

Tampon de stockage:

PBS avec glycérol à 50 %, Proclin300 à 0,05 % et BSA à 0,5 %, pH 7,3.


L'aliquotage n'est pas nécessaire pour le stockage à -20°C

*** Les 20ul contiennent 0,1% de BSA.

For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



1X10⁶ HeLa cells were intracellularly stained with 0.2 ug Coralite® Plus 647 Anti-Human OPTN (CL647-10837) (red), or 0.2 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).