

À des fins de recherche uniquement

Anticorps Monoclonal anti-BAX

Numéro de catalogue:**CL647-60267**



Informations de base

Numéro de catalogue:	BC014175	Méthode de purification:
CL647-60267	Purification par protéine A	
Taille:	Identification du gène (NCBI):	CloneNo.:
100ul , Concentration: 1000 µg/ml by Nanodrop;	581	4G5E8
Hôte:	Nom complet:	Dilutions recommandées:
Mouse	BCL2-associated X protein	IF 1:50-1:500
Isotype:	MW calculé	Excitation/Emission maxima
IgG2b	21 kDa	wavelengths:
Immunogen Catalog Number:	MW observés:	654 nm / 674 nm
AG21068	21 kDa	

Applications

Applications testées:	Contrôles positifs:
FC (Intra), IF	IF : cellules HeLa,
Spécificité de l'espèce:	
Humain, rat, souris	

Informations générales

BAX, also named as BCL2L4, is a pro-apoptotic member of the Bcl-2 protein family, which plays a pivotal role in controlling cell life and death. Bax largely localizes to the cytoplasm of healthy cells, but accumulates on the outer mitochondrial membrane upon apoptosis induction (PMID: 9108035). BAX can commit a cell to apoptosis by translocation from the cytosol to the mitochondria and permeabilization of the outer mitochondrial membrane, which leads to the release of cytochrome c from mitochondria (PMID: 21763611). The expression of BAX is upregulated by the tumor suppressor protein p53, and BAX has been shown to be involved in p53-mediated apoptosis (PMID: 8183579).

Stockage


Stockage:
Stocker à -20 °C. Éviter toute exposition à la lumière. Stable pendant un an après l'expédition.
Tampon de stockage:
PBS avec glycérol à 50 %, Proclin300 à 0,05 % et BSA à 0,5 %, pH 7,3.
L'aliquotage n'est pas nécessaire pour le stockage à -20°C

*** Les 20ul contiennent 0,1% de BSA.


For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using Coralite® Plus 647 BAX antibody (CL647-60267, Clone: 4G5E8) at dilution of 1:100.



1X10⁶ HeLa cells were intracellularly stained with 0.2 ug Coralite® Plus 647 Anti-Human BAX (CL647-60267, Clone:4G5E8) (red), or 0.2 ug Control Antibody (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).