

À des fins de recherche uniquement

# Anticorps Monoclonal anti-TBP

Numéro de catalogue:**CL647-66166**



## Informations de base

Numéro de catalogue:	Numéro d'acquisition GenBank:	Méthode de purification:
CL647-66166	BC110341	Purification par protéine A
<b>Taille:</b>	<b>Identification du gène (NCBI):</b>	<b>CloneNo.:</b>
100ul , Concentration: 1000 µg/ml by Nanodrop;	6908	2H3B2
<b>Hôte:</b>	<b>Nom complet:</b>	<b>Dilutions recommandées:</b>
Mouse	TATA box binding protein	IF 1:50-1:500
<b>Isotype:</b>	<b>MW calculé</b>	<b>Excitation/Emission maxima wavelengths:</b>
IgG2a	338 aa, 38 kDa	654 nm / 674 nm
<b>Immunogen Catalog Number:</b>	<b>MW observés:</b>	
AG12383	mouse/rat 33-36 kDa and human 37-43kDa	

## Applications

<b>Applications testées:</b>	<b>Contrôles positifs:</b>
FC (Intra), IF	IF : cellules A431,

**Spécificité de l'espèce:**  
Humain, porc, rat, souris

## Informations générales

The TATA binding protein (TBP) is a transcription factor that binds specifically to a DNA sequence TATA box. This DNA sequence is found about 25-30 base pairs upstream of the transcription start site in some eukaryotic gene promoters. TBP, along with a variety of TBP-associated factors, make up the TFIID, a general transcription factor that in turn makes up part of the RNA polymerase II preinitiation complex. As one of the few proteins in the preinitiation complex that binds DNA in a sequence-specific manner, it helps position RNA polymerase II over the transcription start site of the gene. However, it is estimated that only 10-20% of human promoters have TATA boxes. Therefore, TBP is probably not the only protein involved in positioning RNA polymerase II. This antibody detects human TBP (~40 kDa) and mouse/rat Tbp (~35 kDa).

## Stockage


**Stockage:**  
Stocker à -20 °C. Éviter toute exposition à la lumière. Stable pendant un an après l'expédition.  
**Tampon de stockage:**  
PBS avec glycérol à 50 %, Proclin300 à 0,05 % et BSA à 0,5 %, pH 7,3.  
**L'aliquotage n'est pas nécessaire pour le stockage à -20°C**

\*\*\* Les 20ul contiennent 0,1% de BSA.

For technical support and original validation data for this product please contact:  
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free  
in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Données de validation sélectionnées



1X10<sup>6</sup> HeLa cells were intracellularly stained with 0.2 ug Coralite® Plus 647 Anti-Human TBP (CL647-66166, Clone:2H3B2) (red), or 0.2 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).

Immunofluorescent analysis of (4% PFA) fixed A431 cells using Coralite® Plus 647 TBP antibody (CL647-66166, Clone: 2H3B2 ) at dilution of 1:200.