

À des fins de recherche uniquement

Anticorps Monoclonal anti-EED

Numéro de catalogue:**CL647-67756**



Informations de base

Numéro de catalogue:	Numéro d'acquisition GenBank:	Méthode de purification:
CL647-67756	BC068995	Purification par protéine A
Taille:	Identification du gène (NCBI):	CloneNo.:
100ul , Concentration: 1000 µg/ml by Nanodrop;	8726	1D11D4
Hôte:	Nom complet:	Dilutions recommandées:
Mouse	embryonic ectoderm development	IF 1:300-1:1200
Isotype:	MW calculé	Excitation/Emission maxima wavelengths:
IgG2b	466 aa, 53 kDa	654 nm / 674 nm
Immunogen Catalog Number:		
AG10369		

Applications

Applications testées:	Contrôles positifs:
FC (Intra), IF	IF : tissu testiculaire de souris,
Spécificité de l'espèce:	
Humain, souris	

Informations générales

EED is a member of the Polycomb-group (PcG) family. PcG family members form multimeric protein complexes, which are involved in maintaining the transcriptional repressive state of genes over successive cell generations. This protein interacts with enhancer of zeste 2, the cytoplasmic tail of integrin beta7, immunodeficiency virus type 1 (HIV-1) MA protein, and histone deacetylase proteins. This protein mediates repression of gene activity through histone deacetylation, and may act as a specific regulator of integrin function. EED has three isoforms, with the molecular weight of isoforms 1/2/3: 50/53/46 kDa.

Stockage


Stockage:
Stocker à -20 °C. Éviter toute exposition à la lumière.
Tampon de stockage:
PBS avec glycérol à 50 %, Proclin300 à 0,05 % et BSA à 0,5 %, pH 7,3.
L'aliquotage n'est pas nécessaire pour le stockage à -20°C

*** Les 20ul contiennent 0,1% de BSA.


For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Données de validation sélectionnées



Immunofluorescent analysis of (4% PFA) fixed mouse testis tissue using Coralite® Plus 647 EED antibody (CL647-67756, Clone: 1D11D4) at dilution of 1:200.



Immunofluorescent analysis of (4% PFA) fixed mouse testis tissue using Coralite® Plus 647 EED antibody (CL647-67756, Clone: 1D11D4) at dilution of 1:200.



1X10⁶ HeLa cells were intracellularly stained with 0.4 ug CoraLite® Plus 647 Anti-Human EED (CL647-67756, Clone:1D11D4) (red), or 0.4 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).