## À des fins de recherche uniquement

## Anticorps Monoclonal anti-CD86

Numéro de catalogue: CL750-65165



Informations de base

Numéro de catalogue:

Numéro d'acquisition GenBank: BC040261

Méthode de purification: Purification par protéine G

CL750-65165

Identification du gène (NCBI):

CloneNo.:

Taille: 100 tests , 5  $\mu$ l/test

BU63

755 nm / 780 nm

Hôte: Mouse Nom complet: CD86 molecule Excitation/Emission maxima wavelengths:

Isotype: IgG1, kappa MW calculé 329 aa, 38 kDa

**Applications** 

Applications testées:

FC

Spécificité de l'espèce:

Humain

Informations générales

CD86 (also known as B7.2) is a costimulatory molecule belonging to the immunoglobulin superfamily. Primarily expressed on antigen-presenting cells (APCs), including B cells, dendritic cells, and macrophages, CD86 is the ligand for two proteins at the cell surface of T cells, CD28 antigen and cytotoxic T-lymphocyte-associated protein 4. Binding  $of CD86\ with\ CD28\ antigen\ is\ a\ costimulatory\ signal\ for\ activation\ of\ the\ T-cell.\ Binding\ of\ CD86\ with\ cytotoxic\ T-cell.$  $lymphocyte-associated\ protein\ 4\ negatively\ regulates\ T-cell\ activation\ and\ diminishes\ the\ immune\ response.$ 


Stockage

Stockage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA.

## Données de validation sélectionnées



1X10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 750 Anti-Human CD86 (CL750-65165, Clone:BU63). Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface co-stained with FITC Anti-Human CD14 and 5 ul Coralite® Plus 750 Anti-Human CD86 (CL750-65165, Clone:BU63). Cells were not fixed. Monocytes were gated.