À des fins de recherche uniquement

Anticorps Monoclonal anti-CD3

Numéro de catalogue: CR-65133



Informations de base

Numéro de catalogue:

CR-65133

Taille:

100tests , 5 ul/test

Hôte:

Mouse Isotype: IgG2a, kappa Numéro d'acquisition GenBank:

BC049847

Identification du gène (NCBI):

Nom complet: CD3e molecule, epsilon (CD3-TCR

complex) MW calculé

207 aa, 23 kDa

Méthode de purification: Purification par affinité

CloneNo.: OKT3

Excitation/Emission maxima

wavelengths: 592 nm / 611 nm

Applications

Applications testées:

Spécificité de l'espèce:

Humain

Informations générales

CD3 is a multimeric protein associated with the T-cell receptor (TCR) to form a complex involved in antigen recognition and signal transduction (PMID: 15885124). CD3 is composed of CD3 γ , δ , ϵ , and ζ chains (PMID: 1826255). It is expressed by thymocytes in a developmentally regulated manner, T cells, and some NK cells (PMID: 3289580). The TCR recognizes antigens bound to major histocompatibility complex (MHC) molecules. TCR-mediated peptide-MHC recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction (PMID: 11985657).

Stockage


Stockage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Tampon de stockage

PBS with 0.09% sodium azide and 0.5% BSA.

Données de validation sélectionnées



1X10^6 human PBMCs were surface co-stained with FITC Anti-Human CD19 and 5 ul Cardinal Red™ Anti-Human CD3 (CR-65133, Clone:OKT3) or Mouse IgG2a Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul Cardinal Red™ Anti-Human CD3 (CR-65133, Clone:OKT3) (red) or Mouse IgG2a Isotype Control. Cells were not fixed. Lymphocytes were gated.