À des fins de recherche uniquement

Anticorps Monoclonal anti-ALCAM

Numéro de catalogue: CR-65223



Informations de base

Numéro de catalogue:

CR-65223

Taille:

100 tests , 5 μ l/test

Hôte: Mouse

Isotype: IgG1, kappa

105 kDa

Numéro d'acquisition GenBank:

BC057809

Identification du gène (NCBI):

Nom complet:

activated leukocyte cell adhesion

molecule MW calculé Méthode de purification: Purification par affinité

CloneNo.:

Excitation/Emission maxima

wavelengths: 592 nm / 611 nm

Applications

Applications testées:

Spécificité de l'espèce:

Humain

Informations générales

Activated leukocyte cell adhesion molecule (ALCAM, also known as CD166) is a cell adhesion molecule that belongs to the immunoglobulin superfamily. It is involved in cell-cell adhesion through homophilic and heterophilic (to CD6) interactions. ALCAM is widely expressed in a variety of normal tissues and cell types, including activated T cells and monocytes, epithelial cells, fibroblasts, neuronal cells, hepatocytes, and bone marrow mesenchymal stem cells (PMID: 7760007; 25221999). Altered ALCAM expression has been associated with the differentiation state and progression in some neoplasms including melanoma, prostate, colorectal, and breast cancers (PMID: 20461761; 18172759).


Stockage

Stockage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA.

Données de validation sélectionnées



1X10^6 PHA-treated (day 3) human PBMCs were surface stained with 5 ul Cardinal Red™ Anti-Human ALCAM (CR-65223, Clone:3A6) (red), or unstained (blue). The black dashed line indicates unactivated PBMCs surface stained with 5 ul Cardinal Red™ Anti-Human ALCAM (CR-65223, Clone:3A6). Cells were not fixed. Monocytes were gated.