

À des fins de recherche uniquement

Anticorps Monoclonal anti-CD206

Numéro de catalogue: PE-65155 **3 Publications**



Informations de base

Numéro de catalogue:

PE-65155

Taille:

100 tests, 10 µl/test

Hôte:

Mouse

Isotype:

IgG1, kappa

Numéro d'acquisition GenBank:

NM_002438

Identification du gène (NCBI):

4360

Nom complet:

mannose receptor, C type 1

MW calculé

166 kDa

Méthode de purification:

L'anticorps purifié est conjugué à la R-phycoérythrine (PE) dans des conditions optimales. Le conjugué est purifié par chromatographie d'exclusion de taille.

CloneNo.:

15-2

Excitation/Emission maxima wavelengths:

496 nm, 565 nm / 578 nm

Applications

Applications testées:

FC

Demandes citées:

FC

Spécificité de l'espèce:

Humain

Espèces citées:

Humain

Informations générales

CD206, also named as MMR, CLEC13D and MRC1, is a type I membrane receptor that mediates the endocytosis of glycoproteins by macrophages. CD206 has been shown to bind high-mannose structures on the surface of potentially pathogenic viruses, bacteria, and fungi so that they can be neutralized by phagocytic engulfment. CD206 is a 170 kDa transmembrane protein which contains 5 domains: an amino-terminal cysteine-rich region, a fibronectin type II repeat, a series of eight tandem lectin-like carbohydrate recognition domains (responsible for the recognition of mannose and fucose), a transmembrane domain, and an intracellular carboxy-terminal tail. It is expressed on most tissue macrophages, in vitro derived dendritic cells, lymphatic and sinusoidal endothelia.

Publications notables

Autrice	Pubmed ID	Journal	Application
Ying Zhan	36038663	Oncogene	FC
Donglu Li	37647585	J Agric Food Chem	FC
Tsung-Hua Hsieh	36958195	Biomed Pharmacother	FC

Stockage

Stockage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Tampon de stockage:

PBS avec azoture de sodium à 0,1 %.


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



Human monocyte-derived dendritic cells (monocytes stimulated with GM-CSF and IL-4) were surface stained with 10 μ l PE Anti-Human CD206 (PE-65155, Clone:15-2) (red) or PE-Mouse IgG1 isotype control (black). Cells were not fixed.