

For Research Use Only

# JAB1 Polyclonal antibody

Catalog Number: 10080-1-AP



## Basic Information

|  |   |  |
|--|---|--|
| <b>Catalog Number:</b><br>10080-1-AP   | <b>GenBank Accession Number:</b><br>BC001187  | <b>Purification Method:</b><br>Antigen affinity purification |
| <b>Size:</b><br>150ul , Concentration: 247 µg/ml by Bradford method using BSA as the standard; | <b>GeneID (NCBI):</b><br>10987  |  |
| <b>Source:</b><br>Rabbit   | <b>UNIPROT ID:</b><br>Q92905  |  |
| <b>Isotype:</b><br>IgG   | <b>Full Name:</b><br>COP9 constitutive photomorphogenic homolog subunit 5 (Arabidopsis) |  |
| <b>Immunogen Catalog Number:</b><br>AG0126   | <b>Calculated MW:</b><br>37 kDa   |  |

## Applications

**Tested Applications:**  
ELISA

**Species Specificity:**  
human, mouse, rat

## Background Information

Probable protease subunit of the COP9 signalosome complex (CSN), a complex involved in various cellular and developmental processes. The CSN complex is an essential regulator of the ubiquitin (Ubl) conjugation pathway by mediating the deneddylation of the cullin subunits of the SCF-type E3 ligase complexes, leading to decrease the Ubl ligase activity of SCF-type complexes such as SCF, CSA or DDB2. The complex is also involved in phosphorylation of p53/TP53, c-jun/JUN, IkappaBalpha/NFKBIA, ITPK1 and IRF8, possibly via its association with CK2 and PKD kinases. CSN-dependent phosphorylation of TP53 and JUN promotes and protects degradation by the Ubl system, respectively. In the complex, it probably acts as the catalytic center that mediates the cleavage of Nedd8 from cullins. It however has no metalloprotease activity by itself and requires the other subunits of the CSN complex. Interacts directly with a large number of proteins that are regulated by the CSN complex, confirming a key role in the complex. Promotes the proteasomal degradation of BRSK2.

## Storage

**Storage:**  
Store at -20°C. Stable for one year after shipment.

**Storage Buffer:**  
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)  
E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

