# For Research Use Only

# Annexin A7 Polyclonal antibody

Catalog Number: 10154-2-AP

**Featured Product** 

12 Publications

BC002632

47 kDa, 51 kDa



### **Basic Information**

GenBank Accession Number: Catalog Number:

GeneID (NCBI):

150ul, Concentration: 300 µg/ml by 310

Nanodrop; Source: annexin A7 Rabbit Calculated MW: Isotype: 50 kDa IgG Observed MW:

Immunogen Catalog Number:

10154-2-AP

**Purification Method:** 

Antigen affinity purification

Recommended Dilutions: WB 1:2000-1:16000

IP 0.5-4.0 ug for IP and 1:2000-1:16000

for WB IHC 1:20-1:200

# **Applications**

**Tested Applications:** 

FC, IHC, IP, WB, ELISA Cited Applications: IF, IHC, WB

Species Specificity: human, mouse, rat

**Cited Species:** human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

#### Positive Controls:

WB: A549 cells, Jurkat cells, mouse lung tissue, L02 cells, mouse brain tissue, mouse heart tissue, HeLa cells, RAW 264.7 cells, rat brain tissue

IP: U-87 MG cells, mouse heart tissue

IHC: human pancreas tissue, human prostate cancer tissue, human stomach tissue, human stomach cancer tissue, rat stomach tissue, mouse stomach tissue

# **Background Information**

Annexin A7 (Anx7) belongs to a ubiquitous and relatively abundant family of Ca2+-dependent membrane-binding proteins, which are thought to be involved in multiple aspects of cell biology including membrane trafficking, mediation of cell-matrix interactions and membrane organization within cells. Anx7, migrated as a 50 kDa protein in SDS-PAGE, has been proposed to function in the fusion of vesicles, acting as a Ca++ channel and as Ca++ activated GTPase, thus inducing Ca++/GTP-dependent secretory events.

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Hu-Fang Yuan	25400735	Int J Clin Exp Pathol	WB,IHC
Ahmed Musa Hago	27914826	Biomed Pharmacother	WB
Hu-Fang Yuan	31217851	Am J Transl Res	IHC

# Storage

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 10154-2-AP (Annexin A7 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.




Various lysates were subjected to SDS PAGE followed by western blot with 10154-2-AP (Annexin A7 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.




IP Result of anti-Annexin VII (IP:10154-2-AP, 4ug; Detection:10154-2-AP 1:800) with mouse heart tissue lysate 3200ug.




IP result of anti-Annexin A7 (IP:10154-2-AP, 4ug; Detection:10154-2-AP 1:8000) with U-87 MG cells lysate 1160 ug.



Immunohistochemical analysis of paraffinembedded human pancreas tissue slide using 10154-2-AP (Annexin VII antibody at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human pancreas tissue slide using 10154-2-AP (Annexin VII antibody at dilution of 1:50 (under 40x lens).



1X10^6 SH-SY5Y cells were intracellularly stained with 0.4 ug Anti-Human Annexin A7 (10154-2-AP) and Coralite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).