For Research Use Only

BCAS3 Polyclonal antibody

Catalog Number:10402-1-AP

Featured Product





Basic Information	Catalog Number: 10402-1-AP	GenBank Accession Number: BC001250	Purification Method: Antigen affinity purification
	Size: 150ul, Concentration: 170 ug/ml by Nanodrop and 133 ug/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 54828 UNIPROT ID: 09H6U6	Recommended Dilutions: WB 1:500-1:2000
	Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG0646	Full Name: breast carcinoma amplified sequence 3 Calculated MW: 99 kDa Observed MW: 74 kDa	
Applications	Tested Applications: WB, ELISA Species Specificity: human, mouse, rat	Positive Controls: WB : A549 cells, A431 cells, HeLa cells, Jurkat cells	
Background Information	Rudhira/BCAS3 (Breast Cancer Amplified Sequence 3) is a conserved protein expressed in the embryonic vasculature and malignant tumors. Rudhira is a predicted WD40 domain protein. During mouse development Rudhira is expressed in erythropoietic and angiogenic precursors but not in their differentiated progeny. This transient expression of Rudhira is also seen in normal adult angiogenesis. BCAS3, the human ortholog of Rudhira is 98% identical and the gene maps to a breakpoint of hematological neoplasms on chromosome 17q23.1. BCAS3 is also expressed in vascular development in embryoid bodies in vitro and was originally identified as a gene over-expressed in breast cancers. It is reported to be a target of metastasis associated protein-1 (MTA-1). Further BCAS3 expression is also upregulated in grade III and IV glioblastomas where it is misexpressed in the tumor cells.		
Storage	Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage		
*** 20ul sizes contain 0.1% BSA			

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 10402-1-AP (BCAS3 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. WB result of BCAS3 antibody (10402-1-AP; 1:600; incubated at room temperature for 1.5 hours) with sh-Control and sh-BCAS3 transfected A431 cells.