For Research Use Only

Calpain 1 Polyclonal antibody

Catalog Number: 10538-1-AP

Featured Product

37 Publications



Basic Information

Catalog Number: GenBank Accession Number:

10538-1-AP BC008751 GeneID (NCBI): Size:

150ul, Concentration: 450 ug/ml by 823

Nanodrop: **UNIPROT ID:** P07384 Rabbit Full Name:

Isotype: calpain 1, (mu/I) large subunit

IgG Calculated MW: Immunogen Catalog Number: 704 aa, 82 kDa AG0810 Observed MW:

75 kDa

Purification Method: Antigen affinity purification Recommended Dilutions:

WB 1:5000-1:50000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500 IF/ICC 1:50-1:500

Applications

Tested Applications:

WB, IHC, IF/ICC, FC (Intra), IP, ELISA

Cited Applications: WB, IHC, IF, CoIP Species Specificity: human, mouse, rat **Cited Species:**

human, mouse, rat, rabbit, chicken

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HeLa cells, A2780 cells, A431 cells, mouse testis tissue, HepG2 cells, PC-3 cells, K-562 cells, Jurkat cells

IHC: human urothelial carcinoma tissue, human heart

tissue, human testis tissue

IF/ICC: HeLa cells,

Notable Publications

Author	Pubmed ID	Journal	Application
Shuchao Wang	30240910	Ann Anat	WB,IF
Folnetti A Alvarez	36114323	Breast Cancer Res Treat	WB
Feng Gao	36341808	Neuropharmacology	WB

Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free

in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of Calpain 1 antibody (10538-1-AP; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-Calpain 1 transfected Hela cells




Various lysates were subjected to SDS PAGE followed by western blot with 10538-1-AP (Calpain 1 antibody) at dilution of 1:15000 incubated at room temperature for 1.5 hours.




IP result of anti-Calpain 1 (IP:10538-1-AP, 4ug; Detection:10538-1-AP 1:1000) with HeLa cells lysate 1200ug.




Immunohistochemical analysis of paraffinembedded human urothelial carcinoma tissue slide using 10538-1-AP (Calpain 1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human urothelial carcinoma tissue slide using 10538-1-AP (Calpain 1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using Calpain 1 antibody (10538-1-AP) at dilution of 1:200 and Multi-rAb CoraLite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002).



1x10^6 HeLa cells were intracellularly stained with 0.4 ug Calpain 1 Polyclonal antibody (10538-1-AP) and Coralite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (5A00013-2)(red), or 0.4 ug Rabbit IgC control Rabbit PolyAb (30000-0-AP) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).