For Research Use Only

CD24 Polyclonal antibody

Catalog Number: 10600-1-AP

8 Publications



Basic Information

Catalog Number: GenBank Accession Number: 10600-1-AP BC007674

Size: GenelD (NCBI):

150ul , Concentration: 500 µg/ml by 100133941 Nanodrop; Full Name:

Source: CD24 molecule
Rabbit Calculated MW:
Isotype: 8 kDa
IgG Observed MW:
Immunogen Catalog Number: 30-70 kDa

AG0654

Positive Controls:

WB: Daudi cells, mouse brain tissue, rat spleen tissue,

Purification Method:

WB 1:1000-1:6000 IHC 1:300-1:1200

Antigen affinity purification

Recommended Dilutions:

Jurkat cells, MCF-7 cell, Raji cells IHC: human appendicitis tissue,

Applications

Tested Applications: IHC, WB, ELISA

Cited Applications:

IF, WB

Species Specificity: human, mouse, rat Cited Species: human, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

CD24 (known as heat stable antigen) is a small highly glycosylated GPI-linked sialoprotein. It is normally expressed at the surface of most B lymphocytes and differentiating neuroblasts, and it is also up-regulated in a wide variety of cancers. Studies have shown that CD24 functions in the regulation of B-cell apoptosis, leukocyte signal transduction, and leukocyte adhesion. Since it is highly glycosylated, the apparent molecular weight of CD24 could be variable, ranging from 30 kDa to 70 kDa. (Ref: Akihiko Sano, MD., 2009)

Notable Publications

Author	Pubmed ID	Journal	Application
Kai Guo	34514877	Thyroid	
Tyler A Smith	33008419	J Neuroinflammation	
Yilu Qin	33511005	Adv Sci (Weinh)	

Storage

Storage

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 10600-1-AP (CD24 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human appendicitis tissue slide using 10600-1-AP (CD24 antibody) at dilution of 1:600 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human appendicitis tissue slide using 10600-1-AP (CD24 antibody) at dilution of 1:600 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).