For Research Use Only

## TCEB2/Elongin-B Polyclonal antibody proteintech

Catalog Number: 10779-1-AP

4 Publications



**Purification Method:** 

WB 1:2000-1:10000

WB: HL-60 cells, mouse skeletal muscle tissue, HEK-

IHC 1:20-1:200

**Positive Controls:** 

IP: HEK-293 cells,

293 cells, HeLa cells, K-562 cells

IHC: human colon cancer tissue,

Antigen affinity purification

IP 0.5-4.0 ug for IP and 1:500-1:1000

Recommended Dilutions:

**Basic Information** 

Catalog Number: GenBank Accession Number: 10779-1-AP BC013306

method using BSA as the standard;

GeneID (NCBI):

150ul, Concentration: 300 µg/ml by Nanodrop and 250 µg/ml by Bradford Full Name:

transcription elongation factor B (SIII), for WB

polypeptide 2 (18kDa, elongin B)

Rabbit Calculated MW: 13 kDa Isotype: IgG Observed MW: 18 kDa Immunogen Catalog Number:

AG1228

**Applications** 

**Tested Applications:** IHC. IP. WB. FLISA

**Cited Applications:** 

WB

Species Specificity: human, mouse **Cited Species:** 

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Background Information** 

TCEB2 encodes the protein elongin B, which is a subunit of the transcription factor B (SIII) complex and is also reported to function as an adapter protein in the proteasomal degradation of target proteins via different E3 ubiquitin ligase complexes (PMID: 26531153). TCEB2 has 2 isoforms with the molecular mass of 13 and 18 kDa.

## **Notable Publications**

| Author          | Pubmed ID | Journal           | Application |
|-----------------|-----------|-------------------|-------------|
| Pingzhao Zhang  | 34743205  | Cell Death Differ | WB          |
| Jiaxiang Chen   | 26296657  | Cell Signal       | WB          |
| Magda Wąchalska | 37808699  | bioRxiv           | WB          |

Storage


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 10779-1-AP (TCEB2/Elongin-B antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human colon cancer using 10779-1-AP (TCEB2/Elongin-B antibody) at dilution of 1:100 (under 10x lens).



IP Result of anti-TCEB2/Elongin-B (IP:10779-1-AP, 4ug; Detection:10779-1-AP 1:500) with HEK-293 cells lysate 3200ug.