## For Research Use Only

# GNB5 Polyclonal antibody

Catalog Number: 11045-2-AP

Featured Product

**5 Publications** 

protein), beta 5

Calculated MW:



**Basic Information** 

Catalog Number: GenBank Accession Number: 11045-2-AP BC011671

GeneID (NCBI): Size:

150ul, Concentration: 1000 µg/ml by 10681 Nanodrop and 467 µg/ml by Bradford Full Name:

method using BSA as the standard;

Rabbit

39 kDa Isotype: IgG Observed MW: Immunogen Catalog Number: 39-42 kDa

AG1518

**Applications** 

**Tested Applications:** 

IHC, IP, WB, ELISA

**Cited Applications:** 

Species Specificity: human, mouse, rat **Cited Species:** human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Purification Method:** 

Antigen affinity purification

Recommended Dilutions: WB 1:1000-1:6000

IP 0.5-4.0 ug for IP and 1:500-1:1000

guanine nucleotide binding protein (Gfor WB IHC 1:50-1:500

Positive Controls:

WB: mouse brain tissue, human brain tissue

IP: rat brain tissue.

IHC: human ovary tumor tissue,

# **Background Information**

Guanine nucleotide-binding proteins (G proteins) are involved as a modulator or transducer in various transmembrane signaling systems. The beta and gamma chains are required for the GTPase activity, for replacement of GDP by GTP, and for G protein-effector interaction. G proteins, which integrate signals between receptors and effector proteins, are composed of an alpha, a beta, and a gamma subunit.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
D Fuchs	25043307	Oncogene	WB
Wenna Zhang	31975557	J Cell Mol Med	WB
Christopher M Tracy	25659125	PMC Biophys	WB, IF

Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


### **Selected Validation Data**




mouse brain tissue were subjected to SDS PAGE followed by western blot with 11045-2-AP (GNB5 Antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 11045-2-AP (GNB5 Antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 11045-2-AP (GNB5 Antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP Result of anti-GNB5 (IP:11045-2-AP, 4ug; Detection:11045-2-AP 1:500) with rat brain tissue lysate 4000ug.