

For Research Use Only

RANGAP1 Polyclonal antibody

Catalog Number: 11102-1-AP

Featured Product

4 Publications



Basic Information

Catalog Number:

11102-1-AP

Size:

150ul, Concentration: 500 ug/ml by Nanodrop and 333 ug/ml by Bradford method using BSA as the standard;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG1563

GenBank Accession Number:

BC014044

GeneID (NCBI):

5905

UNIPROT ID:

P46060

Full Name:

Ran GTPase activating protein 1

Calculated MW:

64 kDa

Observed MW:

64 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC 1:50-1:500

IF/ICC 1:50-1:500

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

WB, IHC, IP, CoIP, IF

Species Specificity:

human

Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : SH-SY5Y cells, HEK-293 cells

IP : HEK-293 cells,

IHC : human gliomas tissue,

IF/ICC : HepG2 cells,

Notable Publications

Author	Pubmed ID	Journal	Application
Xianwei Chen	26844761	J Proteomics	WB
Rui Yang	38267624	Cancer Gene Ther	WB,IHC,IP
Hong-Juan You	37845585	Cell Oncol (Dordr)	WB,IF,CoIP

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




SH-SY5Y cells were subjected to SDS PAGE followed by western blot with 11102-1-AP (RANGAP1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded human gliomas tissue slide using 11102-1-AP (RANGAP1 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffin-embedded human gliomas tissue slide using 11102-1-AP (RANGAP1 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using 11102-1-AP (RANGAP1 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L).



IP result of anti-RANGAP1 (IP:11102-1-AP, 4ug; Detection:11102-1-AP 1:300) with HEK-293 cells lysate 3600ug.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using RANGAP1 antibody (11102-1-AP) at dilution of 1:200 and CoraLite@594-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-4).