## For Research Use Only

## HNRNPA1 Polyclonal antibody

Catalog Number: 11176-1-AP

**Featured Product** 

34 Publications

BC009600



**Basic Information** 

Catalog Number: GenBank Accession Number:

11176-1-AP GeneID (NCBI):

150ul , Concentration: 400 µg/ml by 3178

Nanodrop;

Source: heterogeneous nuclear Rabbit ribonucleoprotein A1

Calculated MW: Isotype:

IgG Immunogen Catalog Number: Observed MW:

34, 40 kDa AG1656

**Applications** 

**Tested Applications:** 

IF, IHC, WB, ELISA **Cited Applications:** 

IF, IHC, IP, WB **Species Specificity:** 

human, mouse, pig, rat

**Cited Species:** 

human, rat, mouse, zebrafish, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Purification Method:** 

Antigen affinity purification

Recommended Dilutions:

WB 1:5000-1:50000 IHC 1:20-1:200

IF 1:50-1:500

Positive Controls:

WB: HeLa cells, mouse colon tissue, K-562 cells, Neuro-

2a cells, C6 cells

IHC: human colon cancer tissue, human breast cancer

tissue, human lung cancer tissue, human liver cancer

IF: HeLa cells.

tissue

**Background Information** 

In eukaryotic cells, nascent RNA polymerase II transcripts are associated in the nucleus with specific proteins to form ribonucleoprotein complexes called HNRP or 40S. Protein moiety of the HNRP particle has 6 major components called core proteins, and HNRPA1 is one of them. hnRNP A1 is a multifunctional RNA binding protein which is involved in pre-mRNA splicing, export of mature transcripts from the nucleus, mRNA turnover, and internal ribosome entry site (IRES)-mediated translation. HNRNPA1 has three isoforms with MW 30 kDa, 34 kDa and 39 kDa.

## **Notable Publications**

| Author      | Pubmed ID | Journal     | Application |
|-------------|-----------|-------------|-------------|
| Hang Li     | 33102210  | Front Oncol | WB          |
| Johan Aarum | 32945072  | EMBO Rep    | WB          |
| Ruqi Jiang  | 34480971  | Cancer Lett | WB,IHC,IF   |

Storage

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 11176-1-AP (HNRNPA1 antibody) at dilution of 1:40000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human colon cancer using 11176-1-AP (HNRNPA1 antibody) at dilution of 1:100 (under 10x loss)




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 11176-1-AP (HNRNPA1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 11176-1-AP (HNRNPA1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using HNRNPA1 antibody (11176-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated Affini Pure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (rad)




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 11176-1-AP (HNRNPA1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 11176-1-AP (HNRNPA1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 11176-1-AP (HNRNPA1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human liver cancer tissue slide using 11176-1-AP (HNRNPA1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).