For Research Use Only

Harmonin Polyclonal antibody

Catalog Number: 11358-1-AP

2 Publications



Basic Information

Catalog Number: GenBank Accession Number:

11358-1-AP BC016057 GeneID (NCBI):

150ul, Concentration: 600 µg/ml by 10083 Nanodrop;

Source:

Usher syndrome 1C (autosomal Rabbit recessive, severe) Isotype: Calculated MW: 552 aa, 62 kDa IgG Observed MW:

Immunogen Catalog Number: 68-73 kDa

AG1919

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:1000-1:8000

IP 0.5-4.0 ug for IP and 1:500-1:1000

for WB IHC 1:20-1:200 IF 1:200-1:800

Applications

Tested Applications:

IF, IHC, IP, WB, ELISA

Cited Applications:

IF, IHC, WB

human, mouse, rat

Cited Species:

human, mouse

Species Specificity:

Note-IHC: suggested antigen retrieval with

TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, PC-3 cells, mouse brain tissues, rat

brain tissues

IP: HEK-293 cells.

IHC: human prostate cancer tissue,

IF: HepG2 cells,

Background Information

Harmonin, also known as USH1C, is a scaffold protein which interacts with other USH1 proteins (USH1B/myosin VIIa and USH1G/sans) to form complex and is implicated in proper development, morphogenesis, and structural integrity of the hair cell mechanoreceptor. Mutations of Harmonin cause Usher syndrome type 1 (congenital deafness and balance disorder, and early-onset sight loss).

Notable Publications

Author	Pubmed ID	Journal	Application
Fabian Jansen	26620972	Hum Mol Genet	WB,IF
Qi You	36982591	Int J Mol Sci	IHC

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data




Immunohistochemical analysis of paraffinembedded human prostate cancer using 11358-1-AP (Harmonin antibody) at dilution of 1:50 (under 10x lens).



IP Result of anti-Harmonin (IP:11358-1-AP, 4ug; Detection:11358-1-AP 1:600) with HEK-293 cells lysate 3000ug.



Various lysates were subjected to SDS PAGE followed by western blot with 11358-1-AP (Harmonin antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using Harmonin antibody (11358-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).