## For Research Use Only

## SRP14 Polyclonal antibody

Catalog Number: 11528-1-AP

**Featured Product** 

11 Publications



**Basic Information** 

Catalog Number: 11528-1-AP

Size

GenBank Accession Number: BC035495

> protein) Calculated MW:

136 aa, 15 kDa

GeneID (NCBI):

signal recognition particle 14kDa

(homologous Alu RNA binding

150ul, Concentration: 900 µg/ml by 6727 Nanodrop and 413 µg/ml by Bradford Full Name:

method using BSA as the standard;

Rabbit

Isotype: IgG Immunogen Catalog Number:

Observed MW: 18 kDa AG2099

**Tested Applications:** 

IF, IP, WB, ELISA

**Cited Applications:** IP. WB

Species Specificity:

**Cited Species:** 

human, rat

human, mouse

**Purification Method:** 

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:4000 IP 0.5-4.0 ug for IP and 1:200-1:1000

for WB IF 1:10-1:100

**Applications** 

**Positive Controls:** 

WB: A549 cells, HeLa cells, human heart tissue

IP: A549 cells.

IF: MCF-7 cells, HepG2 cells

**Background Information** 

Signal recognition particle(SRP) acts in three distinct ways: 1 it binds to the signal sequence of the nascent polypeptide to be translocated, which is exposed on the surface of the translating ribosome; 2 it temporarily retards the nascent polypeptide from further elongation; 3 it mediates docking of the SRP-ribosome-nascent polypeptide chain complex to the RER membrane via the heterodimeric SRP-receptor (SR). SRP14, also named as 18 kDa Alu RNAbinding protein, is a 136 amino acid protein. Signal recognition particle consists of a 75 RNA molecule of 300 nucleotides and six protein subunits: SRP72, SRP68, SRP54, SRP19, SRP14 and SRP9. SRP14 protein is a component of signal-recognition-particle that has a crucial role in targeting secretory proteins to the rough endoplasmic reticulum  $membrane. SRP9\ together\ with\ SRP14\ and\ the\ Alu\ portion\ of\ the\ SRP\ RNA,\ constitutes\ the\ elongation\ arrest\ domain$ of SRP. SRP14 form a heterodimer with SRP9, which recognizes Alu RNA and the related 7SL RNA.

## **Notable Publications**

Author	Pubmed ID	Journal	Application
Evan P Booy	30247708	Nucleic Acids Res	WB,IP
Evan P Booy	33410401	J Biol Chem	WB
Dianrong Li	31420216	Mol Cell	WB

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data



A549 cells were subjected to SDS PAGE followed by western blot with 11528-1-AP (SRP14 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of MCF-7 cells, using SRP14 antibody 11528-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



IP Result of anti-SRP14 (IP:11528-1-AP, 4ug; Detection:11528-1-AP 1:300) with A549 cells lysate 1600ug.