### For Research Use Only

# DGKA Polyclonal antibody

Catalog Number: 11547-1-AP

**Featured Product** 

19 Publications

BC023523



**Basic Information** 

Catalog Number: GenBank Accession Number:

GeneID (NCBI):

150ul, Concentration: 600 µg/ml by 1606

Nanodrop;

Source: diacylglycerol kinase, alpha 80kDa

Rabbit Calculated MW: Isotype: 735 aa, 83 kDa IgG Observed MW:

Immunogen Catalog Number: 83 kDa

AG2075

11547-1-AP

**Tested Applications:** 

FC, IF, IHC, IP, WB, ELISA

Cited Applications: IF, IHC, IP, WB

Species Specificity:

human, mouse, rat

**Cited Species:** 

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Purification Method:** 

Antigen affinity purification

Recommended Dilutions: WB 1:2000-1:12000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500 IF 1:50-1:500

**Applications** 

Positive Controls:

WB: Jurkat cells, HeLa cells, MOLT-4 cells, human cerebellum tissue, HEK-293 cells, mouse cerebellum

IP: Jurkat cells,

IHC: human gliomas tissue, human brain tissue

IF: Jurkat cells.

# **Background Information**

DGKA(Diacylglycerol kinase alpha) is also named as DAGK, DAGK1 and belongs to the eukaryotic diacylglycerol kinase family, which is suggested to attenuate diacylglycerol-induced cell responses through the phosphorylation of this second messenger to phosphatidic acid.DGKA regulates the secretion of lethal exosomes bearing Fas ligand during activation-induced cell death of T lymphocytes.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Naoki Okada	34482409	Cancer Immunol Immunother	IHC
Yi Kong	27498782	Oncol Rep	IHC
David Novo	30498210	Nat Commun	

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


\*\*\* 20ul sizes contain 0.1% BSA

in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 11547-1-AP (DGKA antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.




IP Result of anti-DGKA (IP:11547-1-AP, 3ug; Detection:11547-1-AP 1:1000) with Jurkat cells lysate 1500ug.




Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 11547-1-AP (DGKA antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 11547-1-AP (DGKA antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed Jurkat cells using DGKA antibody (11547-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



1X10^6 HeLa cells were intracellularly stained with 0.4 ug Anti-Human DGKA (11547-1-AP) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit 1gG(H+L) at dilution 1:1000 (red), or 0.4 ug Isotype Control. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).