

For Research Use Only

BRSK2 Polyclonal antibody

Catalog Number: 11589-1-AP

Featured Product

3 Publications



Basic Information

Catalog Number: 11589-1-AP	GenBank Accession Number: BC024291	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 600 µg/ml by Nanodrop and 333 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 9024	Recommended Dilutions: WB 1:1000-1:8000
Source: Rabbit	Full Name: BR serine/threonine kinase 2	
Isotype: IgG	Calculated MW: 87 kDa	
Immunogen Catalog Number: AG2195	Observed MW: 80-88 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls: WB : mouse brain tissue, mouse testis tissue, rat brain tissue
Cited Applications: IP, WB	
Species Specificity: human, mouse, rat	
Cited Species: human, rat	

Background Information

BRSK2 is highly conserved from invertebrates to human, plays a key role in polarization of neurons and has been identified with different names: SAD1 is its closest homolog in C. elegans, serine/threonine kinase SADA alfa in rat, brain-selective kinase 2 and SAD-B in mouse and hsSAD1 and SAD1B in humans (PMID:16165222). In rat and mouse, BRSK2 is only detected in the brain and at low levels in the testis. It has some isoforms produced by alternative splicing with the molecular mass of 68-84 kDa. This protein has a conserved function throughout the evolution.

Notable Publications

Author	Pubmed ID	Journal	Application
Jia Nie	29873699	Endocrinology	WB,IP
Yoshida Hiroataka H	21985311	J Neurochem	WB
Morita Tsuyoshi T	19648118	J Biol Chem	WB

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 11589-1-AP (BRK2 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.