## For Research Use Only

## TIM3 Polyclonal antibody, PBS Only

Catalog Number:11872-1-PBS




## Catalog Number: GenBank Accession Number: **Purification Method: Basic Information** 11872-1-PBS BC020843 Antigen affinity purification GenelD (NCBI): Size: 100ug , Concentration: 1mg/ml by 84868 Nanodrop: UNIPROT ID: Source: Q8TDQ0 Rabbit Full Name: Isotype: hepatitis A virus cellular receptor 2 lgG Calculated MW: Immunogen Catalog Number: 301 aa, 33 kDa AG2459 **Observed MW:** 50-70 kDa, 33 kDa **Applications Tested Applications:** WB, IHC, IF-P, ELISA **Species Specificity:** human, mouse **Background Information** TIM3, also known as HAVCR2, is a member of the recently discovered T cell Ig and mucin domain-containing molecule superfamily. TIM3 is a negative regulatory molecule that is important for T cell tolerance and has a crucial role in autoimmunity and T cell exhaustion during chronic viral infection (PMID: 23180819). TIM3 is expressed by Thelper type 1 (Th1) cells, macrophage, monocyte, dendritic cells, CD8+ T cell and other lymphocyte subsets. Galectin-9 is a ligand for TIM3. TIM3-galectin-9 pathway negatively regulates T helper type 1 immunity (PMID: 16286920). TIM3 is a 280-aa membrane protein with a calculated molecular weight of 33 kDa, the higher molecular weights between 50 and 70 kDa probably represent glycosylated TIM3 (PMID: 20107545; 17069754; 11725301) Storage: Storage Store at -80°C. Storage Buffer: PBS only, pH7.3

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 11872-1-AP (TIM3 antibody) at dilution of 1:400 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 11872-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded human tonsillitis tissue using TIM3 antibody (11872-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 11872-1-PBS in a different storage buffer formulation.

Various lysates were subjected to SDS PAGE followed by western blot with 11872-1-AP (TIM3 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 11872-1-PBS in a different storage buffer formulation.