

For Research Use Only

HSFY1 Polyclonal antibody

Catalog Number: 11970-1-AP



Basic Information

Catalog Number: 11970-1-AP	GenBank Accession Number: BC055414	Purification Method: Antigen affinity purification
Size: 150ul, Concentration: 350 µg/ml by Nanodrop and 220 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 86614	Recommended Dilutions: WB 1:500-1:2000 IHC 1:20-1:200
Source: Rabbit	Full Name: heat shock transcription factor, Y-linked 1	
Isotype: IgG	Calculated MW: 401 aa, 45 kDa	
Immunogen Catalog Number: AG2592	Observed MW: 45 kDa	

Applications

Tested Applications: IHC, WB, ELISA	Positive Controls: WB : human testis tissue, IHC : human testis tissue,
Species Specificity: human	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

The HSFY gene is located in the male-specific region of chromosome Y (MSY), which is not involved in X-Y crossover events. HSFY gene is expressed exclusively in testis. HSFY is a DNA-binding protein that specifically binds heat shock promoter elements (HSE), and suggested to be implicated in spermatogenesis both in animals and humans.

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



human testis tissue were subjected to SDS PAGE followed by western blot with 11970-1-AP (HSFY1 Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human testis tissue slide using 11970-1-AP (HSFY1 Antibody) at dilution of 1:50 (under 40x lens).