For Research Use Only

GOS2 Polyclonal antibody

Catalog Number: 12091-1-AP

Featured Product

15 Publications



Purification Method:

IHC 1:50-1:500 IF/ICC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number:

12091-1-AP BC009694 GeneID (NCBI):

Size:

150ul , Concentration: 450 ug/ml by 50486 Nanodrop;

UNIPROT ID: P27469 Rabbit Full Name: Isotype: G0/G1switch 2 IgG Calculated MW:

Immunogen Catalog Number: 11 kDa

AG2731

Positive Controls:

IHC: mouse liver tissue, IF/ICC: H9C2 cells,

Applications

Tested Applications: IHC, IF/ICC, ELISA **Cited Applications:** WB, IHC, IF, IP, CoIP, ChIP Species Specificity:

human, mouse **Cited Species:** human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

GOS2 is GO/G1 switch protein 2. It is an all trans-retinoic acid (RA) target gene. GOS2 promotes apoptosis by binding to BCL2, hence preventing the formation of protective BCL2-BAX heterodimers.

Notable Publications

Author	Pubmed ID	Journal	Application
Feng Ye	36106344	Toxicol Mech Methods	IP,CoIP
Nguyen T T Truong	32492632	Cytokine	WB
Yogev Sela	35315913	Cancer Res	IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data



Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 12091-1-AP (GOS2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 12091-1-AP (GOS2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed H9C2 cells using G0S2 antibody (12091-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-phalloidin (red).