For Research Use Only

TRIM27 Polyclonal antibody

Catalog Number: 12205-1-AP

Featured Product

20 Publications



Basic Information

Catalog Number: GenBank Accession Number:

12205-1-AP BC013580 GeneID (NCBI): Size:

150ul, Concentration: 650 ug/ml by

Nanodrop and 333 ug/ml by Bradford UNIPROT ID: method using BSA as the standard; P14373

Source: Full Name:

Rabbit tripartite motif-containing 27

Isotype: Calculated MW: IgG 513 aa, 58 kDa Immunogen Catalog Number: Observed MW: AG2849 58 kDa, 41 kDa

Purification Method: Antigen affinity purification Recommended Dilutions:

WB 1:1000-1:6000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500

Applications

Tested Applications: WB, IHC, IP, ELISA

Cited Applications: WB, IHC, IF, CoIP Species Specificity:

human, mouse, rat **Cited Species:** human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: Jurkat cells, mouse testis tissue, Raji cells

IP: mouse testis tissue,

IHC: human lung cancer tissue, mouse testis tissue

Notable Publications

Author	Pubmed ID	Journal	Application
Juncal Garcia-garcia	36111389	FEBS J	WB,IF
Li Xing	33251042	Mol Ther Nucleic Acids	CoIP
Dongsheng Nie	26607717	Biol Reprod	WB,IF

Storage

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


*** 20ul sizes contain 0.1% BSA

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 12205-1-AP (TRIM27 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Various lysates were subjected to SDS PAGE followed by western blot with 12205-1-AP (TRIM27 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



WB result of TRIM27 antibody (12205-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-TRIM27 transfected Jurkat cells.



IP result of anti-TRIM27 (IP:12205-1-AP, 4ug; Detection:12205-1-AP 1:1000) with mouse testis tissue lysate 4000ug.