For Research Use Only

Syntaxin 7 Polyclonal antibody

Catalog Number:12322-1-AP

Featured Product

8 Publications



Basic Information

Catalog Number:

GenBank Accession Number:

Antigen affinity purification

12322-1-AP Size:

Rabbit

Isotype:

AG2975

GeneID (NCBI):

Recommended Dilutions:

Purification Method:

150ul , Concentration: 850 µg/ml by 8417

BC011975

WB 1:1000-1:8000

Nanodrop and 400 µg/ml by Bradford UNIPROT ID:

IP 0.5-4.0 ug for 1.0-3.0 mg of total

method using BSA as the standard; Source:

015400 Full Name:

syntaxin 7

Calculated MW:

Immunogen Catalog Number:

261 aa, 30 kDa Observed MW:

35-40 kDa

protein lysate IHC 1:50-1:500 IF 1:200-1:800

Applications

Tested Applications:

IF, IHC, IP, WB, ELISA

Cited Applications:

CoIP, IF, IHC, WB

Species Specificity:

human, mouse, canine

Cited Species:

human, rat, mouse

Positive Controls:

WB: mouse spleen tissue, MDCK cells

IP: mouse heart tissue.

IHC: human medulloblastoma tissue,

IF: A549 cells,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Notable Publications

Author	Pubmed ID	Journal	Application
Yunshu Zhu	37760841	Biomedicines	IHC
Sara Bilekova	37691832	Front Cell Dev Biol	CoIP
Hana Nůsková	37495107	J Biol Chem	WB

Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

Selected Validation Data


The data checking STX7 antibody was shown as a successful example



MDCK cells were transfected with each indicated siRNAs
Whole cell lysates were analyzed by WB using 1/500 diluted anti-STX7 (PTG, 12322-1-AP)
anti-STX7 (PTG, 12322-1-AP) is excellent.

Kazunari Yamashi


siRNA result of 12322-1-AP (anti-STX7) by Dr.Kazunari Yamashita.




Immunofluorescent analysis of (-20°C Ethanol) fixed A549 cells using Syntaxin 7 antibody (12322-1-AP) at dilution of 1:400 and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).




mouse spleen tissue were subjected to SDS PAGE followed by western blot with 12322-1-AP (Syntaxin 7 antibody at dilution of 1:4000 incubated at room temperature for 1.5 hours.



IP result of anti-Syntaxin 7 (IP:12322-1-AP, 3ug; Detection:12322-1-AP 1:800) with mouse heart tissue lysate 4000ug.



Immunohistochemical analysis of paraffinembedded human medulloblastoma tissue slide using 12322-1-AP (Syntaxin 7 antibody at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human medulloblastoma tissue slide using 12322-1-AP (Syntaxin 7 antibody at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).