For Research Use Only

COX2/ Cyclooxygenase 2/ PTGS2 Polyclonal antibody



Catalog Number: 12375-1-AP

Featured Product

413 Publications

Basic Information

Catalog Number: 12375-1-AP

GenBank Accession Number: BC013734

Purification Method: Antigen affinity purification

Size:

GeneID (NCBI):

150ul , Concentration: 700 ug/ml by

Recommended Dilutions:

Nanodrop:

UNIPROT ID:

WB 1:1000-1:4000 IHC 1:50-1:500 IF/ICC 1:200-1:800

P35354 Full Name:

Rabbit Isotype: IgG

prostaglandin-endoperoxide synthase 2 (prostaglandin G/H synthase and

cyclooxygenase)

AG3025

Calculated MW: 604 aa, 68 kDa

Observed MW:

70-74 kDa

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA

Immunogen Catalog Number:

Cited Applications:

WB, IHC, IF, CoIP

Species Specificity:

human, mouse **Cited Species:**

human, mouse, rat, pig, chicken Note-IHC: suggested antigen retrieval with

TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: A549 cells, RAW 264.7 cells, HeLa cells, NIH/3T3

cells, HEK-293 cells, Raji cells

IHC: human breast cancer tissue,

IF/ICC: A549 cells,

Background Information

COX2 (Prostaglandin G/H synthase 2; PTGS2) mediates the formation of prostaglandins from arachidonate. Its subunit structure is homodimer. The fully N-glycosylated PTGS2 is 72-74 kDa and the aglycosylated is 66 kDa (PMID:19656660). It also expresses a band of 39 kDa after unspecific cleavage (PMID:17509125). The 50 kDa band of fragmented PTGS2 has also previously been detected in AD brains (PMID:14724276).

Notable Publications

Author	Pubmed ID	Journal	Application
Guangren Xu	32986614	Z Naturforsch C J Biosci	WB
Jie-Fu Fan	36189462	J Hypertens	WB
Ke-Xin Wang	34649212	Phytomedicine	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 12375-1-AP (COX2/Cyclooxygenase 2/ PTGS2 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 12375-1-AP (COX2/ Cyclooxygenase 2/ PTGS2 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 12375-1-AP (COX2/ Cyclooxygenase 2/ PTGS2 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




A549 cells were subjected to SDS PAGE followed by western blot with 12375-1-AP (COX2/Cyclooxygenase 2/ PTGS2 antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 12375-1-AP (COX2/Cyclooxygenase 2/ PTGS2 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human bowen disease slide using 12375-1-AP (COX2/ Cyclooxygenase 2/ PTGS2 antibody) at dilution of 1:400 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Methanol) fixed A549 cells using COX2/ Cyclooxygenase 2/ PTGS2 antibody (12375-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated Affini Pure Goat Anti-Rabbit IgG(H+L) (5A00013-2).