For Research Use Only

PI4KA Polyclonal antibody

Catalog Number:12411-1-AP

Featured Product

11 Publications



Basic Information

Catalog Number:

12411-1-AP

GenBank Accession Number: BC018120

Purification Method: Antigen affinity purification

GeneID (NCBI):

Recommended Dilutions:

150ul, Concentration: 173 µg/ml by Bradford method using BSA as the

5297

WB 1:1000-1:4000

for WB

IF 1:200-1:800

IP 0.5-4.0 ug for IP and 1:1000-1:6000

standard: Source: Rabbit

phosphatidylinositol 4-kinase,

catalytic, alpha

Calculated MW: 2044 aa, 231 kDa

IgG Immunogen Catalog Number:

Observed MW:

231 kDa

AG3062

Isotype:

Applications

Tested Applications:

IF, IP, WB, ELISA

Cited Applications:

IF, IHC, WB

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse

Positive Controls:

WB: HeLa cells, mouse brain tissue, human brain tissue, MCF-7 cells, NIH-3T3 cells (RNAi), rat brain

tissue

IP: mouse brain tissue.

IF: MCF-7 cells.

Background Information

PI4KA, also named as PIK4, PIK4CA, belongs to the PI3/PI4-kinase family and Type III PI4K subfamily. It acts on phosphatidylinositol (PtdIns) in the first committed step in the production of the second messenger inositol-1,4,5,trisphosphate. PI4KA plays a role in the formation of membrane complexes where HCV replication takes place. (PMID:19605471).

Notable Publications

Author	Pubmed ID	Journal	Application
Jay Xiaojun Tan	36071159	Nature	WB
Xiuxing Jiang	36276647	Theranostics	WB
Ming Gao	28351005	Biomaterials	WB

Storage

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 12411-1-AP (PI4KA antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




MCF-7 cells were subjected to SDS PAGE followed by western blot with 12411-1-AP (PI4KA antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



WB result of anti- PI4KA (12411-1-AP) with NIH-3T3 cells (RNAi).



IP result of anti-PI4KA(IP:12411-1-AP, 4ug; Detection:12411-1-AP 1:3000) with mouse brain tissue lysate 1080 ug.



Immunofluorescent analysis of (-20°C Methanol) fixed MCF-7 cells using PI4KA antibody (12411-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).