For Research Use Only

PPP2CB Polyclonal antibody

Catalog Number: 12554-2-AP

Featured Product

3 Publications



Basic Information

Catalog Number: 12554-2-AP

GenBank Accession Number:

Antigen affinity purification

Size:

GeneID (NCBI):

Recommended Dilutions:

150ul , Concentration: 200 ug/ml by

WB 1:500-1:2000

Purification Method:

Nanodrop and 167 ug/ml by Bradford $\,$ UNIPROT ID:

BC012022

IP 0.5-4.0 ug for 1.0-3.0 mg of total

method using BSA as the standard;

P62714

protein lysate IHC 1:250-1:1000

Source: Rabbit

Full Name: protein phosphatase 2 (formerly 2A),

catalytic subunit, beta isoform

Isotype: IgG

Calculated MW: 309 aa, 36 kDa

Immunogen Catalog Number: AG3233

Observed MW:

36 kDa

Applications

Tested Applications:

WB, IHC, IP, ELISA

WB: mouse lung tissue, U2OS cells

Positive Controls:

WB, CoIP

Cited Applications:

IP: NIH/3T3 cells,

Species Specificity: human, mouse, rat

Cited Species: human, mouse IHC: rat kidney tissue, human stomach cancer tissue

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Notable Publications

Author	Pubmed ID	Journal	Application
Chunmin Li	30151693	Cell Mol Life Sci	WB,CoIP
Baoyu Chen	32903816	Front Cell Dev Biol	WB
Mengmeng Zhang	39033992	Cell Signal	WB,CoIP

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data



mouse lung tissue were subjected to SDS PAGE followed by western blot with 12554-2-AP (PPP2CB antibody) at dilution of 1:400 incubated at room temperature for 1.5 hours.



IP result of anti-PPP2CB (IP:12554-2-AP, 4ug; Detection:12554-2-AP 1:300) with NIH/3T3 cells lysate 4000ug.



Immunohistochemical analysis of paraffinembedded human stomach cancer tissue slide using 12554-2-AP (PPP2CB antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Sodium Citrate buffer (pH 6.0).

Immunohistochemical analysis of paraffinembedded rat kidney tissue slide using 12554-2-AP (PPP2CB antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).