For Research Use Only

VASH1 Polyclonal antibody

Catalog Number:12730-1-AP

Featured Product 2 Publications




Basic Information	Catalog Number: 12730-1-AP	GenBank Accession Number: BC009031	Purification Method: Antigen affinity purification		
	Size: 150ul, Concentration: 350 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG3435	GeneID (NCBI): 22846 UNIPROT ID:	Recommended Dilutions: WB 1:500-1:1000 IF/ICC 1:50-1:500		
				Q7L8A9	
				Full Name: vasohibin 1	
		Calculated MW:			
		365 aa, 41 kDa			
		Observed MW: 36 and 41 kDa			
		Applications	Tested Applications: WB, IF/ICC, ELISA	Positive Controls:	
Cited Applications:			an brain tissue, HeLa cells, MCF-7 cells		
WB	IF/ICC : U2OS cells,				
Species Specificity: human					
Cited Species: zebrafish					
Background Information	VASH-1 is clinically significant in bla of gastric cancer and a target for vaso	rched in some tumors as a result of adder cancer, colorectal cancer and cular targeting therapy. 12730-1-A	f VEGF induction. It has been suggested that I NSCLC. VASH-1 may be a potential marker		
	expression of VASH1 has been resea VASH-1 is clinically significant in bla of gastric cancer and a target for vaso kDa form protein accumulated within 29552154, 26666821)	rched in some tumors as a result of adder cancer, colorectal cancer and cular targeting therapy. 12730-1-Ai n the cells or pericellular milieu in	f VEGF induction. It has been suggested that I NSCLC. VASH-1 may be a potential marker P detects 41 kDa form secreted protein and 30 SDS-PAGE.(PMID:19057892, 29042936,		
Background Information	expression of VASH1 has been resea VASH-1 is clinically significant in bla of gastric cancer and a target for vasc kDa form protein accumulated within 29552154, 26666821) Author Put	rched in some tumors as a result of adder cancer, colorectal cancer and cular targeting therapy. 12730-1-A	f VEGF induction. It has been suggested that I NSCLC. VASH-1 may be a potential marker P detects 41 kDa form secreted protein and 30		
	expression of VASH1 has been resea VASH-1 is clinically significant in bla of gastric cancer and a target for vaso kDa form protein accumulated within 29552154, 26666821) Author Put Marta Bastos de Oliveira 335	rched in some tumors as a result of adder cancer, colorectal cancer and cular targeting therapy. 12730-1-A n the cells or pericellular milieu in pericellular D Journal	f VEGF induction. It has been suggested that I NSCLC. VASH-1 may be a potential marker P detects 41 kDa form secreted protein and 3 I SDS-PAGE.(PMID:19057892, 29042936, Application		
	expression of VASH1 has been resea VASH-1 is clinically significant in bla of gastric cancer and a target for vaso kDa form protein accumulated within 29552154, 26666821) Author Put Marta Bastos de Oliveira 335	rched in some tumors as a result of adder cancer, colorectal cancer and cular targeting therapy. 12730-1-A n the cells or pericellular milieu in omed ID Journal 547133 Development 585739 Cell Rep ter shipment.	f VEGF induction. It has been suggested that I NSCLC. VASH-1 may be a potential marker P detects 41 kDa form secreted protein and 3 SDS-PAGE.(PMID:19057892, 29042936, Application WB		


For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (-20°C Methanol) fixed U2OS cells using VASH1 antibody (12730-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L).



human brain tissue were subjected to SDS PAGE followed by western blot with 12730-1-AP (VASH1 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.