## For Research Use Only

## ALG1 Polyclonal antibody

Catalog Number: 12872-1-AP

**Featured Product** 

2 Publications

BC031095

GenBank Accession Number:

asparagine-linked glycosylation 1,

beta-1,4-mannosyltransferase

homolog (S. cerevisiae) Calculated MW:

464 aa, 53 kDa

Observed MW: 47-53 kDa



**Basic Information** 

Catalog Number: 12872-1-AP

Size: GeneID (NCBI): 150ul, Concentration: 350 µg/ml by 56052

Nanodrop and 327 µg/ml by Bradford Full Name: method using BSA as the standard;

Rabbit

IgG Immunogen Catalog Number:

AG3540

Isotype:

**Tested Applications:** 

IF, IHC, IP, WB,ELISA **Cited Applications:** 

WB

Species Specificity: human, mouse, rat

**Cited Species:** human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Purification Method:** 

Antigen affinity purification

Recommended Dilutions: WB 1:500-1:2000

IP 0.5-4.0 ug for IP and 1:250-1:1000

for WB IHC 1:50-1:500 IF 1:20-1:200

**Applications** 

**Positive Controls:** 

WB: HeLa cells, IP: HeLa cells,

IHC: human gliomas tissue,

IF: HeLa cells,

**Background Information** 

**Notable Publications** 

Author	Pubmed ID	Journal	Application
Isono Takahiro T	21526146	PLoS One	WB
Nan Li	37493257	J Agric Food Chem	WB

Storage

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

## **Selected Validation Data**




HeLa cells were subjected to SDS PAGE followed by western blot with 12872-1-AP (ALG1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




IP result of anti-ALG1 (IP:12872-1-AP, 4ug; Detection:12872-1-AP 1:500) with HeLa cells lysate 3080 ug.



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 12872-1-AP (ALG1 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 12872-1-AP (ALG1 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (10% Formaldehyde) fixed HeLa cells using 12872-1-AP (ALG1 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).