For Research Use Only

NME5 Polyclonal antibody

Catalog Number: 12923-1-AP

5 Publications



Basic Information

Catalog Number: GenBank Accession Number: 12923-1-AP BC026182

Antigen affinity purification GeneID (NCBI): Recommended Dilutions:

Size: 150ul, Concentration: 600 µg/ml by 8382

WB 1:500-1:2400 IP 0.5-4.0 ug for IP and 1:500-1:1000

Nanodrop and 367 µg/ml by Bradford Full Name: method using BSA as the standard;

for WB non-metastatic cells 5, protein

expressed in (nucleoside-diphosphate IHC 1:200-1:800

Rabbit kinase) Calculated MW: Isotype:

212 aa, 24 kDa IgG Observed MW: Immunogen Catalog Number: 24 kDa AG3610

Applications

Tested Applications: IHC, IP, WB, ELISA

Cited Applications: IF, IHC, WB Species Specificity:

human, mouse, rat **Cited Species:** human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: mouse testis tissue, human kidney tissue

Purification Method:

IP: mouse testis tissue. IHC: mouse testis tissue.

Background Information

NME5(Nucleoside diphosphate kinase homolog 5) belongs to the NDK family. Its expression plays a critical role in spermiogenesis by increasing the cellular levels of GPX5 to eliminate reactive oxygen species. NME5 may have specific functions in the phosphotransfer network involved in spermiogenesis and flagellar movement.

Notable Publications

Author	Pubmed ID	Journal	Application
Xin Zhang	36417862	Cell Rep	WB,IF
Changying Li	32325343	J Hazard Mater	WB
Yanjie Ma	38038747	Cell Mol Life Sci	WB

Storage


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data




mouse testis tissue were subjected to SDS PAGE followed by western blot with 12923-1-AP (NME5 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 12923-1-AP (NME5 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 12923-1-AP (NME5 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-NME5 (IP:12923-1-AP, 4ug; Detection:12923-1-AP 1:500) with mouse testis tissue lysate 3920 ug.