For Research Use Only

CDKL5 Polyclonal antibody

Catalog Number:12973-1-AP 2 Publications



Basic Information

Catalog Number: 12973-1-AP

GenBank Accession Number:

BC036091

GeneID (NCBI): Size:

150ul, Concentration: 850 ug/ml by Nanodrop and 387 ug/ml by Bradford $\,$ UNIPROT ID:

076039

method using BSA as the standard;

Full Name:

Rabbit cyclin-dependent kinase-like 5

Isotype: Calculated MW: 1030 aa, 114 kDa

Immunogen Catalog Number: Observed MW:

100-110 kDa

Purification Method: Antigen affinity purification

Recommended Dilutions: WB 1:500-1:2000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate

Applications

Tested Applications:

WB, IP, ELISA

Cited Applications:

WB. IF

Source:

Species Specificity: human, mouse **Cited Species:**

human, mouse

Positive Controls:

WB: HEK-293 cells, HepG2 cells, PC-12 cells, SH-SY5Y

cells, HeLa cell

IP: mouse brain tissue,

Background Information

Cyclin dependent kinase like 5 (CDKL5) may regulate ciliogenesis and neuronal morphogenesis. It has been reported that CDKL5 is associated with epileptic seizures, severe intellectual disability, and autistic features. The CDKL5 protein is a kinase that regulates key phosphorylation events vital to the development of the complex neuronal network of the brain.

Notable Publications

Author	Pubmed ID	Journal	Application
Alessia Di Nardo	34624412	Neurosci Res	WB,IF
Hanzhe Kuang	37980560	Cell Rep	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


*** 20ul sizes contain 0.1% BSA

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



IP result of anti-CDKL5 (IP:12973-1-AP, 4ug; Detection:12973-1-AP 1:300) with mouse brain tissue lysate 3200 ug.



Various lysates were subjected to SDS PAGE followed by western blot with 12973-1-AP (CDKL5 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 12973-1-AP (CDKL5 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.