For Research Use Only

TRAV20 Polyclonal antibody

Catalog Number: 13132-1-AP



Purification Method:

WB 1:500-1:2000

IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number:

13132-1-AP BC025727 GeneID (NCBI): Size: 150ul, Concentration: 133 ug/ml by 28663

Nanodrop and 133 ug/ml by Bradford Full Name:

method using BSA as the standard; T cell receptor alpha variable 20

Source: Calculated MW: Rabbit 273 aa, 31 kDa Isotype: Observed MW: 31 kDa

Immunogen Catalog Number:

AG3841

Positive Controls:

WB, IHC, ELISA WB: K-562 cells,

Species Specificity: IHC: human lymphoma tissue, human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Tested Applications:

Storage

Applications

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data



K-562 cells were subjected to SDS PAGE followed by western blot with 13132-1-AP (TRAV20 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human lymphoma tissue slide using 13132-1-AP (TRAV20 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lymphoma tissue slide using 13132-1-AP (TRAV20 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).