For Research Use Only

FGFBP2 Polyclonal antibody

Catalog Number: 13254-1-AP



Purification Method:

IF 1:10-1:100

Antigen affinity purification

Recommended Dilutions: WB 1:1000-1:4000

Basic Information

Catalog Number: GenBank Accession Number: 13254-1-AP BC025720

Size: GeneID (NCBI):

150ul , Concentration: 750 μ g/ml by 83888 Nanodrop and 433 μ g/ml by Bradford Full Name:

method using BSA as the standard; fibroblast growth factor binding

Source: protein 2
Rabbit Calculated MW:
Isotype: 223 aa, 28 kDa
IgG Observed MW:
Immunogen Catalog Number: 37 kDa

AG4036

Applications Tested Applications: Positive Controls:

IF, WB, ELISA WB: SH-SY5Y cells, BxPC-3 cells

Species Specificity: IF: BxPC-3 cells, human

Background Information

Fibroblast growth factor-binding protein 2 (FGFBP2), also known as 37 kDa killer-specific secretory protein (KSP37), is a member of the fibroblast growth factor binding protein family. FGFBP2 was identified as a Th1/Tc1 specific secretory protein is expressed preferentially in cytotoxic T lymphocytes (CTL) and natural killer (NK) cells and might be involved in essential processes of CTL-mediated immunity. An increase expression of FGFBP2 may be associated with atopic asthma and mild extrinsic asthma. Recently, an observation revealed that FGFBP2 correlate strongly with histology, stage and outcome in ovarian, and it might be a potential prognostic biomarker. The observed MW of FGFBP2 (37 kDa) varies from the predicated MW of 28 kDa, which may be due to the specific space conformation caused by internal disulfide bonds.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffe

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



SH-SY5Y cells were subjected to SDS PAGE followed by western blot with 13254-1-AP (FGFBP2 antibody) at dilution of 1:400 incubated at room temperature for 1.5 hours.



Immun of luorescent analysis of BxPC-3 cells using 13254-1-AP (FGFBP2 antibody) at dilution of 1:25 and Alexa Fluor 488-conjugated Affini Pure Goat Anti-Rabbit IgG(H+L).