## For Research Use Only

## TDRKH specific Polyclonal antibody

Catalog Number: 13528-1-AP

Featured Product

15 Publications



**Basic Information** 

Catalog Number: 13528-1-AP

GenBank Accession Number:

Size:

BC032690 GeneID (NCBI):

150ul , Concentration: 550 µg/ml by 11022

Nanodrop and 267  $\mu g/ml$  by Bradford UNIPROT ID: method using BSA as the standard;

Q9Y2W6

Source: Full Name: Rabbit

tudor and KH domain containing

Isotype Calculated MW: 606 aa, 67 kDa Immunogen Catalog Number: Observed MW: AG4422 67 kDa

**Purification Method:** 

Antigen affinity purification Recommended Dilutions:

WB 1:2000-1:10000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:50-1:500 IF 1:50-1:500

**Applications** 

**Tested Applications:** 

IF, IHC, IP, WB, ELISA

Cited Applications: IF, IHC, IP, WB

Species Specificity:

human, mouse, rat

**Cited Species:** 

human, mouse, bovine

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: NCCIT cell, mouse brain tissue

IP: mouse brain tissue. IHC: human gliomas tissue,

IF: HeLa cells.

**Background Information** 

Tudor and KH domain-containing protein(TDRKH)Tudor domains are protein modules that mediate protein-protein interactions, potentially by binding to methylated ligands. Both KH and tudor domains are involved in binding RNA or single-strand DNA. Tudor also is a germ cell-specific protein with multiple Tudor domains and is involved in germ plasm formation and germ cell specification. TDRKH is one Tudor protein with a single Tudor domain.

## **Notable Publications**

Author	Pubmed ID	Journal	Application
Deqiang Ding	29018194	Nat Commun	IF, WB
Odetta Antico	34767452	Sci Adv	WB
Minjie Tan	32486081	Cells	WB,IHC,IF,IP

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**




Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 13528-1-AP (TDRKH specific antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



NCCIT cell were subjected to SDS PAGE followed by western blot with 13528-1-AP (TDRKH specific antibody at dilution of 1:5000 incubated at room temperature for 1.5 hours.



IP result of anti-TDRKH specific (IP:13528-1-AP, 4ug; Detection:13528-1-AP 1:7000) with mouse brain tissue lysate 4000ug.



Immunofluorescent analysis of (-20°C Ethanol) fixed Hela cells using 13528-1-AP (TDRKH specific antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).