For Research Use Only

Septin 7 Polyclonal antibody

Catalog Number:13818-1-AP

Featured Product 34 Publications




Basic Information	Catalog Number: 13818-1-AP	GenBank Accession Number: BC025987 GeneID (NCBI): 989 UNIPROT ID: Q16181		Purification Method: Antigen affinity purification			
	Size: 150ul, Concentration: 450 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG4907			Recommended Dilutions: WB 1:1000-1:6000 IHC 1:50-1:500 IF/ICC 1:50-1:500			
					Full Name:		
					septin 7		
						Calculated MW: 51 kDa	
		Observed MW:					
		45-50 kDa					
		Applications	Tested Applications:	Positive Controls:			
			WB, IHC, IF/ICC, ELISA		WB: A375 c	ells, HepG2 cells, Jurkat cells, rat testis	
			Cited Applications: WB, IF, CoIP, PLA		tissue, mou	tissue, mouse testis tissue IHC : human gliomas tissue, human lung cancer tissue	
Species Specificity:			IHC : humar				
human, mouse, rat			IF/ICC : Hep	G2 cells,			
Cited Species:							
human, mouse, rat, bovine							
Note-IHC: suggested antigen TE buffer pH 9.0; (*) Alternati retrieval may be performed w buffer pH 6.0	vely, antigen						
Background Information		, cytokinesis, and me	embrane dynami	es involved in various cellular processes, cs. SEPT7 is a unique septin required for and invasion in various cancer cells,			
Notable Publications	Author Pu	Jbmed ID Jo	ournal	Application			
Notable Publications			ournal MBO Rep	Application IF,PLA			
Notable Publications	Ravinder Kandi 34	4661963 El					
Notable Publications	Ravinder Kandi 34 Aaron J Farrugia 27	4661963 El 7248291 Si	MBO Rep	IF,PLA			
Notable Publications Storage	Ravinder Kandi 34 Aaron J Farrugia 27	4661963 El 7248291 Si 2841357 J ter shipment.	MBO Rep mall GTPases	IF,PLA			


For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 13818-1-AP (SEPT7 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 13818-1-AP (Septin 7 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 13818-1-AP (Septin 7 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



WB result of Septin 7 antibody (13818-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-Septin 7 transfected HepG2 cells.



Immunofluorescent analysis of HepG2 cells, using Septin 7 antibody 13818-1-AP at 1:50 dilution and Rhodamine-labeled goat anti-rabbit IgG (red). Blue pseudocolor = DAPI (fluorescent DNA dye).