For Research Use Only

SIAH1 Polyclonal antibody

Catalog Number: 13886-1-AP

Featured Product

4 Publications



Basic Information

Catalog Number: GenBank Accession Number:

13886-1-AP BC035562
Size: GeneID (NCBI):

150ul , Concentration: 350 µg/ml by 6477 Nanodrop; Full Nam

Nanodrop; Full Name:
Source: seven in absentia homolog 1

Rabbit (Drosophila)

Isotype: Calculated MW:
IgG 282 aa, 31 kDa

Immunogen Catalog Number: Observed MW:
AG4336 60 kDa

Purification Method:
Antigen affinity purification
Recommended Dilutions:

WB 1:500-1:1000 IHC 1:50-1:500

Applications

Tested Applications: IHC, WB, ELISA

Cited Applications:

WB

Species Specificity: human, mouse Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: HeLa cells, A549 cells, COLO 320 cells, HepG2 cells, Jurkat cells, mouse small intestine tissue

IHC: mouse testis tissue,

Background Information

SIAH1, also named as HUMSIAH, Siah-1a and Siah-1S(21kd), belongs to the SINA (Seven in absentia) family. SIAH1 is known to cause indirect degradation of beta-catenin through formation of a complex with Siah-interacting protein (SIP), Skp1 and Ebi. SIAH1 can form heterodimer or homodimer such as Siah-1*Siah-1(70 or 62kd), Siah-1*Siah-1S(42kd) and Siah-1S*Siah-1S(51-56kd). Importantly, results from in vitro soft agar assay demonstrated that Siah-1S displays a promotion effect on cells tumorigenicity. (PMID:17420721)

Notable Publications

Author	Pubmed ID	Journal	Application
Yan Liu	35961388	Exp Cell Res	WB
Haijun Bao	38105184	J Exp Clin Cancer Res	WB
Chengming Zhang	37250786	iScience	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1%BSA


Selected Validation Data

 $250kd \rightarrow$ $150kd \rightarrow$ $100kd \rightarrow$ $70kd \rightarrow$ $50kd \rightarrow$ $40kd \rightarrow$ $30kd \rightarrow$

HeLa cells were subjected to SDS PAGE followed by western blot with 13886-1-AP (SIAH1 antibody) at dilution of 1:300 incubated at room temperature for 15 bours



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 13886-1-AP (SIAH1 antibody) at dilution of 1:100 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 13886-1-AP (SIAH1 antibody) at dilution of 1:100 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).