For Research Use Only

FBXL14 Polyclonal antibody

Catalog Number:13934-1-AP 2 Publications



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method:

13934-1-AP Size:

BC028132 GeneID (NCBI): Antigen affinity purification Recommended Dilutions:

150ul, Concentration: 350 ug/ml by

144699

WB 1:500-1:1000

Nanodrop and 233 ug/ml by Bradford $\,$ UNIPROT ID:

Q8N1E6

IHC 1:20-1:200 IF/ICC 1:50-1:500

method using BSA as the standard;

Source: Rabbit

Full Name: F-box and leucine-rich repeat protein

Isotype:

Calculated MW: 418 aa, 46 kDa

Immunogen Catalog Number: AG4975

Observed MW:

46 kDa

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA

Cited Applications:

Species Specificity:

human

Cited Species:

human, mouse

Positive Controls:

WB: HepG2 cells,

IHC: human liver tissue, IF/ICC: HepG2 cells,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Background Information

 $FBXL14 (F-box/LRR-repeat\ protein\ 14)\ is\ also\ named\ as\ FBL14\ and\ belongs\ to\ the\ the\ F-box\ protein\ family, which\ are$ characterized by an approximately 40-amino acid F-box motif. It is part of a SCF (SKP1-cullin-F-box) ubiquitinprotein ligase complex. SNAIL1 is an unstable transcription factor that is phosphorylated by GSK3-beta in the nucleus, which triggers its nuclear export and subsequent ubiquitination and proteasomal degradation. FBXL14 is directed ubiquitination and degradation of SNAIL1 in human and mouse cell lines (PMID:19955572).

Notable Publications

Author	Pubmed ID	Journal	Application
Christopher Noyes	36653474	Commun Biol	WB
Y Liu	25654763	Cell Death Dis	WB

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


*** 20ul sizes contain 0.1% BSA

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Immunohistochemical analysis of paraffinembedded human liver using 13934-1-AP (FBXL14 antibody) at dilution of 1:50 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human liver using 13934-1-AP (FBXL14 antibody) at dilution of 1:50 (under 40x lens).



HepG2 cells were subjected to SDS PAGE followed by western blot with 13934-1-AP (FBXL14 Antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using FBXL14 antibody (13934-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).