

For Research Use Only

NOMO2 Polyclonal antibody, PBS Only

Catalog Number:14328-1-PBS



Basic Information

Catalog Number:

14328-1-PBS

Size:

100ug , Concentration: 1 mg/ml by Nanodrop;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG5595

GenBank Accession Number:

BC041131

GeneID (NCBI):

283820

UNIPROT ID:

Q5JPE7

Full Name:

NODAL modulator 2

Calculated MW:

139 kDa

Observed MW:

130 kDa

Purification Method:

Antigen affinity purification

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, Indirect ELISA

Species Specificity:

human

Storage

Storage:

Store at -80°C.

Storage Buffer:

PBS only, pH7.3

For technical support and original validation data for this product please contact:


T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com


W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




BxPC-3 cells were subjected to SDS PAGE followed by western blot with 14328-1-AP (NOMO2 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 14328-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffin-embedded human pancreas cancer using 14328-1-AP (NOMO2 antibody) at dilution of 1:100 (under 10x lens). This data was developed using the same antibody clone with 14328-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded human pancreas cancer using 14328-1-AP (NOMO2 antibody) at dilution of 1:100 (under 40x lens). This data was developed using the same antibody clone with 14328-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of BxPC-3 cells using 14328-1-AP (NOMO2 antibody) at dilution of 1:25 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L). This data was developed using the same antibody clone with 14328-1-PBS in a different storage buffer formulation.



IP result of anti-NOMO2 (IP:14328-1-AP, 4ug; Detection:14328-1-AP 1:1000) with HEK-293 cells lysate 2400ug. This data was developed using the same antibody clone with 14328-1-PBS in a different storage buffer formulation.