

For Research Use Only

# PHGDH Polyclonal antibody

Catalog Number: 14719-1-AP

Featured Product

55 Publications



## Basic Information

### Catalog Number:

14719-1-AP

### Size:

150ul, Concentration: 350 ug/ml by Nanodrop;

### Source:

Rabbit

### Isotype:

IgG

### Immunogen Catalog Number:

AG6445

### GenBank Accession Number:

BC000303

### GeneID (NCBI):

26227

### UNIPROT ID:

O43175

### Full Name:

phosphoglycerate dehydrogenase

### Calculated MW:

57 kDa

### Observed MW:

57 kDa

### Purification Method:

Antigen affinity purification

### Recommended Dilutions:

WB 1:1000-1:6000

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC 1:500-1:2000

IF/ICC 1:200-1:800

## Applications

### Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

### Cited Applications:

WB, IHC, IF, IP, CoIP, RIP

### Species Specificity:

human, mouse, rat

### Cited Species:

human, mouse, rat

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

### Positive Controls:

**WB**: HEK-293T cells, HEK-293 cells, mouse brain tissue, HeLa cells, HepG2 cells, MCF-7 cells, MDA-MB-453s cells, rat brain tissue

**IP**: HeLa cells,

**IHC**: human lymphoma tissue, human breast hyperplasia tissue, mouse brain tissue

**IF/ICC**: HeLa cells,

## Background Information

PHGDH(D-3-phosphoglycerate dehydrogenase) is also named as 3-PGDH, PGDH3 and belongs to the D-isomer specific 2-hydroxyacid dehydrogenase family. It catalyzes the transition of 3-phosphoglycerate into 3-phosphohydroxypyruvate, which is the first and rate-limiting step in the phosphorylated pathway of serine biosynthesis, using NAD<sup>+</sup>/NADH as a cofactor. 3-PGDH deficiency is a rare recessive inborn error in the biosynthesis of the amino acid L-serine characterized clinically by congenital microcephaly, psychomotor retardation, and intractable seizures(PMID:19235232).

## Notable Publications

Author	Pubmed ID	Journal	Application
Shengya Tian	31562192	Life Sci Alliance	WB
Ji Wang	34544857	Proc Natl Acad Sci U S A	WB
R L Yang	32940141	J Dent Res	WB,IF

## Storage

### Storage:

Store at -20°C. Stable for one year after shipment.

### Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of PHGDH antibody (14719-1-AP; 1:20000; incubated at room temperature for 1.5 hours) with sh-Control and sh-PHGDH transfected HEK-293 cells.




Various lysates were subjected to SDS PAGE followed by western blot with 14719-1-AP (PHGDH antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.




IP result of anti-PHGDH (IP:14719-1-AP, 4ug; Detection:14719-1-AP 1:10000) with HeLa cells lysate 1880 ug.



Immunohistochemical analysis of paraffin-embedded human lymphoma tissue slide using 14719-1-AP (PHGDH antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human lymphoma tissue slide using 14719-1-AP (PHGDH antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using PHGDH antibody (14719-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).