For Research Use Only

Dermatopontin Polyclonal antibody

Catalog Number: 14777-1-AP



| Basic Information | Catalog Number: 14777-1-AP | GenBank Accession Number: BC033736 | Purification Method: Antigen affinity purification | |
|---------------------------------|---|---------------------------------------|---|--|
| | Size: 150ul , Concentration: 300 ug/ml by Bradford method using BSA as the standard; Source: Rabbit | GenelD (NCBI): 1805 | Recommended Dilutions: WB 1:500-1:2000 | |
| | | UNIPROT ID: Q07507 | | |
| | | Full Name: dermatopontin | | |
| | lsotype: IgG | Calculated MW: 22 kDa | | |
| | Immunogen Catalog Number: AG6200 | Observed MW: 22 kDa | | |
| Applications | Tested Applications: WB, ELISA | | Positive Controls: | |
| | WB : rat skin tissue, Species Specificity: human, rat | | | |
| Background Information | DPT (dermatopontin) is an extracellular matrix protein belonging to the dermatopontin family. Skin appears to be the richest source of dermatopontin, comprising about 15 mg/kg of the wet weight. Expression of dermatopontin is not limited to connective tissue, as investigations show that dermatopontin mRNA is expressed in cultured fibroblasts, muscle, heart, pancreas, and lung. Dermatopontin comprises a considerable proportion of the noncollagenous extracellular matrix proteins. It is involved in promotion of cellular adhesion, extracellular matrix assembly and wound healing. | | | |
| Storage | Storage: Store at -20°C. Stable for one year aft Storage Buffer: | ter shipment. | | |
| | PBS with 0.02% sodium azide and 50 Aliquoting is unnecessary for -20°C s | ••• | | |
| *** 20ul sizes contain 0.1% BSA | | | | |

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data

 $70kd \rightarrow \\ 50kd \rightarrow \\ 40kd \rightarrow \\ 30kd \rightarrow \\ 20kd \rightarrow \\ 15kd \rightarrow \\ 10kd \rightarrow \\ 5kd \rightarrow \\ 0 M$

rat skin tissue were subjected to SDS PAGE followed by western blot with 14777-1-AP (Dermatopontin antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.