

For Research Use Only

UROS Polyclonal antibody

Catalog Number: 14913-1-AP



Basic Information

Catalog Number: 14913-1-AP	GenBank Accession Number: BC002573	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 850 µg/ml by Nanodrop and 333 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 7390	Recommended Dilutions: WB 1:500-1:2000 IP 0.5-4.0 ug for IP and 1:500-1:1000 for WB
Source: Rabbit	Full Name: uroporphyrinogen III synthase	IHC 1:50-1:500 IF 1:20-1:200
Isotype: IgG	Calculated MW: 29 kDa	
Immunogen Catalog Number: AG6711	Observed MW: 29 kDa	

Applications

Tested Applications: IF, IHC, IP, WB, ELISA	Positive Controls: WB : HeLa cells, K-562 cells
Species Specificity: human, mouse, rat	IP : K-562 cells,
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	IHC : human cervical cancer tissue,
	IF : MCF-7 cells,

Background Information

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 14913-1-AP (UROS antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




IP Result of anti-UROS (IP:14913-1-AP, 4ug; Detection:14913-1-AP 1:500) with K-562 cells lysate 4000ug.



Immunofluorescent analysis of MCF-7 cells, using UROS antibody 14913-1-AP at 1:50 dilution and Rhodamine-labeled goat anti-rabbit IgG (red). Blue pseudocolor = DAPI (fluorescent DNA dye).



Immunohistochemical analysis of paraffin-embedded human cervical cancer tissue slide using 14913-1-AP (UROS antibody) at dilution of 1:100 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human cervical cancer tissue slide using 14913-1-AP (UROS antibody) at dilution of 1:100 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).