For Research Use Only

USP5 Polyclonal antibody

Catalog Number:15158-1-AP

Featured Product







Basic Information	Catalog Number: 15158-1-AP	GenBank Accession Number: BC005139		Purification Method: Antigen affinity purification		
	Size:	GenelD (NCBI):		Recommended Dilutions: WB 1:500-1:3000		
	150ul , Concentration: 450 ug/ml by					
	Nanodrop and 267 ug/ml by Bradford	UNIPROT ID:		IP 0.5-4.0 ug for 1.0-3.0 mg of total		
	method using BSA as the standard;	P45974		protein lysate		
	Source:	Full Name: ubiquitin specific peptidase 5 (isopeptidase T) Calculated MW: 96 kDa				
	Rabbit					
	Isotype: IgG Immunogen Catalog Number: AG7252					
				Observed MW: 95-105 kDa		
				Applications	Tested Applications:	
		WB, IP, ELISA			WB : mouse lung tissue, A549 cells, HeLa cells, humar	
Cited Applications: WB, IP, IF	brain tissue, 453s cells		rat lung tissue, rat brain tissue, MDA-MB-			
Species Specificity: human, mouse, rat	IP : mouse brain tissue,					
Cited Species: mouse						
Background Information	USP5, also named as ISOT, belongs to TP53/p53 and an increase in TP53/p!	53 transcriptional activi	ty because the			
Background Information	USP5, also named as ISOT, belongs to TP53/p53 and an increase in TP53/p3 accumulates is able to compete with is a potential target for p53 activatin	53 transcriptional activi ubiquitinated TP53/p5 g therapeutic agents for : 19182904). USP5 clear	ty because the 3 but not with r the treatmen			
	USP5, also named as ISOT, belongs to TP53/p53 and an increase in TP53/p3 accumulates is able to compete with is a potential target for p53 activatin proteasome associated protein(PMID marked preference for branched poly	53 transcriptional activi ubiquitinated TP53/p5 g therapeutic agents for : 19182904). USP5 clear mers.	ty because the 3 but not with r the treatmen ves linear and	e unanchored polyubiquitin that MDM2 for proteasomal recognition. USP t of cancer(PMID: 19098288). It is a novel branched multiubiquitin polymers with		
	USP5, also named as ISOT, belongs to TP53/p53 and an increase in TP53/p5 accumulates is able to compete with is a potential target for p53 activatin proteasome associated protein(PMID marked preference for branched poly Author Put	53 transcriptional activi ubiquitinated TP53/p5 g therapeutic agents foi : 19182904). USP5 clear mers.	ty because the 3 but not with r the treatmen ves linear and al	e unanchored polyubiquitin that MDM2 for proteasomal recognition. USP t of cancer(PMID: 19098288). It is a novel branched multiubiquitin polymers with Application		
	USP5, also named as ISOT, belongs to TP53/p53 and an increase in TP53/p5 accumulates is able to compete with is a potential target for p53 activatin proteasome associated protein(PMID marked preference for branched poly Author Put	53 transcriptional activi ubiquitinated TP53/p5 g therapeutic agents for : 19182904). USP5 clear mers.	ty because the 3 but not with r the treatmen ves linear and al	e unanchored polyubiquitin that MDM2 for proteasomal recognition. USP t of cancer(PMID: 19098288). It is a novel branched multiubiquitin polymers with		
	USP5, also named as ISOT, belongs to TP53/p53 and an increase in TP53/p5 accumulates is able to compete with is a potential target for p53 activatin proteasome associated protein(PMID marked preference for branched poly Author Put Agustin García-Caballero 25:	53 transcriptional activi ubiquitinated TP53/p5 g therapeutic agents foi : 19182904). USP5 clear mers.	ity because the 3 but not with r the treatmen ves linear and al	e unanchored polyubiquitin that MDM2 for proteasomal recognition. USP t of cancer(PMID: 19098288). It is a novel branched multiubiquitin polymers with Application		
	USP5, also named as ISOT, belongs to TP53/p53 and an increase in TP53/p5 accumulates is able to compete with is a potential target for p53 activatin proteasome associated protein(PMID marked preference for branched poly Author Put Agustin García-Caballero 253 Mufeng Du 339	53 transcriptional activi ubiquitinated TP53/p5 g therapeutic agents for : 19182904). USP5 clear mers. Demed ID Journ 189210 Neuro	ity because the 3 but not with r the treatmen ves linear and al al	e unanchored polyubiquitin that MDM2 for proteasomal recognition. USP t of cancer(PMID: 19098288). It is a novel branched multiubiquitin polymers with Application WB, IP, IF		
Notable Publications	USP5, also named as ISOT, belongs to TP53/p53 and an increase in TP53/p5 accumulates is able to compete with is a potential target for p53 activatin proteasome associated protein(PMID marked preference for branched poly Author Put Agustin García-Caballero 25: Mufeng Du 339 Shiori Tomita 309 Storage:	33 transcriptional activi ubiquitinated TP53/p5 g therapeutic agents for : 19182904). USP5 clear mers. Domed ID Journ 189210 Neuro D13576 FASER 552955 Toxico	ity because the 3 but not with r the treatmen ves linear and al al	e unanchored polyubiquitin that MDM2 for proteasomal recognition. USP t of cancer(PMID: 19098288). It is a novel branched multiubiquitin polymers with Application WB, IP, IF WB		
Notable Publications	USP5, also named as ISOT, belongs to TP53/p53 and an increase in TP53/p5 accumulates is able to compete with is a potential target for p53 activatin proteasome associated protein(PMID marked preference for branched poly Author Put Agustin García-Caballero 25: Mufeng Du 339 Shiori Tomita 309 Storage: Storage at -20°C. Stable for one year aft Storage Buffer:	53 transcriptional activi ubiquitinated TP53/p5 g therapeutic agents for : 19182904). USP5 clear mers. 50000 JOURN 189210 Neuro 513576 FASE 552955 Toxico er shipment.	ity because the 3 but not with r the treatmen ves linear and al al	e unanchored polyubiquitin that MDM2 for proteasomal recognition. USP t of cancer(PMID: 19098288). It is a novel branched multiubiquitin polymers with Application WB, IP, IF WB		
Background Information	USP5, also named as ISOT, belongs tr TP53/p53 and an increase in TP53/p5 accumulates is able to compete with is a potential target for p53 activatin proteasome associated protein(PMID marked preference for branched poly Author Put Agustin García-Caballero 25: Mufeng Du 339 Shiori Tomita 309 Storage: Stora at -20°C. Stable for one year after	53 transcriptional activi ubiquitinated TP53/p5 g therapeutic agents for : 19182904). USP5 clear mers. 50000 ID Journ 189210 Neuro 513576 FASER 552955 Toxico er shipment. % glycerol pH 7.3.	ity because the 3 but not with r the treatmen ves linear and al al	e unanchored polyubiquitin that MDM2 for proteasomal recognition. USP t of cancer(PMID: 19098288). It is a novel branched multiubiquitin polymers with Application WB, IP, IF WB		
Notable Publications	USP5, also named as ISOT, belongs to TP53/p53 and an increase in TP53/p5 accumulates is able to compete with is a potential target for p53 activatin proteasome associated protein(PMID marked preference for branched poly Author Put Agustin García-Caballero 25: Mufeng Du 339 Shiori Tomita 309 Storage: Storage at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50	53 transcriptional activi ubiquitinated TP53/p5 g therapeutic agents for : 19182904). USP5 clear mers. 50000 ID Journ 189210 Neuro 513576 FASER 552955 Toxico er shipment. % glycerol pH 7.3.	ity because the 3 but not with r the treatmen ves linear and al al	e unanchored polyubiquitin that MDM2 for proteasomal recognition. USP t of cancer(PMID: 19098288). It is a novel branched multiubiquitin polymers with Application WB, IP, IF WB		
Notable Publications	USP5, also named as ISOT, belongs to TP53/p53 and an increase in TP53/p5 accumulates is able to compete with is a potential target for p53 activatin proteasome associated protein(PMID marked preference for branched poly Author Put Agustin García-Caballero 25: Mufeng Du 339 Shiori Tomita 309 Storage: Storage at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50	53 transcriptional activi ubiquitinated TP53/p5 g therapeutic agents for : 19182904). USP5 clear mers. 50000 ID Journ 189210 Neuro 513576 FASER 552955 Toxico er shipment. % glycerol pH 7.3.	ity because the 3 but not with r the treatmen ves linear and al al	e unanchored polyubiquitin that MDM2 for proteasomal recognition. USP: t of cancer(PMID: 19098288). It is a novel branched multiubiquitin polymers with Application WB, IP, IF WB		
Notable Publications	USP5, also named as ISOT, belongs to TP53/p53 and an increase in TP53/p5 accumulates is able to compete with is a potential target for p53 activatin proteasome associated protein(PMID marked preference for branched poly Author Put Agustin García-Caballero 25: Mufeng Du 339 Shiori Tomita 309 Storage: Storage at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50	53 transcriptional activi ubiquitinated TP53/p5 g therapeutic agents for : 19182904). USP5 clear mers. 50000 ID Journ 189210 Neuro 513576 FASER 552955 Toxico er shipment. % glycerol pH 7.3.	ity because the 3 but not with r the treatmen ves linear and al al	e unanchored polyubiquitin that MDM2 for proteasomal recognition. USP t of cancer(PMID: 19098288). It is a novel branched multiubiquitin polymers with Application WB, IP, IF WB		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





WB result of USP5 antibody (15158-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-USP5 transfected A549 cells. mouse lung tissue were subjected to SDS PAGE followed by western blot with 15158-1-AP (USP5 antibody) at dilution of 1:400 incubated at room temperature for 1.5 hours.



IP result of anti-USP5 (IP:15158-1-AP, 4ug; Detection:15158-1-AP 1:1000) with mouse brain tissue lysate 4000ug.