

For Research Use Only

NANS Polyclonal antibody

Catalog Number: 15163-1-AP

1 Publications



Basic Information

Catalog Number:

15163-1-AP

Size:

150ul, Concentration: 600 ug/ml by Nanodrop;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG7271

GenBank Accession Number:

BC000008

GeneID (NCBI):

54187

UNIPROT ID:

Q9NR45

Full Name:

N-acetylneuraminic acid synthase

Calculated MW:

40 kDa

Observed MW:

35-40 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC 1:50-1:500

Applications

Tested Applications:

WB, IHC, IP, ELISA

Cited Applications:

IHC

Species Specificity:

human, mouse, rat

Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : HeLa cells, HepG2 cells, human brain tissue

IP : HepG2 cells,

IHC : human stomach cancer tissue,

Background Information

The sialic acids are a family of 9-carbon 2-keto-3-deoxy sugars. They are frequently the terminal sugars on secreted and cell surface glycoproteins and glycolipids. Sialic acids participate in many important biologic recognition events. NANS can also use N-acetylmannosamine 6-phosphate and mannose 6-phosphate as substrates to generate phosphorylated forms of Neu5Ac and KDN, respectively.

Notable Publications

Author	Pubmed ID	Journal	Application
Qianhua Wu	37541419	Exp Cell Res	IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



HeLa cells were subjected to SDS PAGE followed by western blot with 15163-1-AP (NANS antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



IP result of anti-NANS (IP:15163-1-AP, 4ug; Detection:15163-1-AP 1:500) with HepG2 cells lysate 3300 ug.



Immunohistochemical analysis of paraffin-embedded human stomach cancer tissue slide using 15163-1-AP (NANS antibody) at dilution of 1:200 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).