For Research Use Only

KAP1 Polyclonal antibody Catalog Number:15202-1-AP Featured Product

Featured Product






Basic Information	Catalog Number: GenBank Accession Number: 15202-1-AP BC004978		Number:	Purification Method: Antigen affinity purification	
	Size: 150ul, Concentration: 500 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG7350	GeneID (NCBI): 10155 UNIPROT ID: Q13263 Full Name: tripartite motif-cont Calculated MW: 89 kDa Observed MW: 100 kDa	aining 28	Recommended Dilutions: WB 1:5000-1:50000 IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:1000-1:4000 IF/ICC 1:50-1:500	
Applications	Tested Applications:		Positive Con	trols:	
	WB, IHC, IF/ICC, FC (Intra), IP, ELISA		WB: HeLa ce	WB : HeLa cells, mouse testis tissue, HepG2 cells P : HeLa cells, HC : human lung cancer tissue, human colon tissue	
	Cited Applications: WB, IHC, IF, IP, CoIP, chIP		IP : HeLa cell		
	Species Specificity:				
	human, mouse, rat		IF/ICC : HeLa cells,		
	Cited Species: human, mouse, pig, monkey				
	Note-IHC: suggested antigen r TE buffer pH 9.0; (*) Alternati retrieval may be performed w buffer pH 6.0	vely, antigen			
Packground Information	KAP1, also named as TRIM28 or RNF96, is a 835 amino acid protein, which contain one RING-type zinc finger, one PHD-type zinc finger, one bromo domain and two B box-type zinc fingers. KAP1 localizes in the nucleus and Belongs to the TRIM/RBCC family. KAP1 is a nuclear corepressor for KRAB domain-containing zinc finger proteins and mediates gene silencing by recruiting CHD3, a subunit of the nucleosome remodeling and deacetylation (NuRD) complex, and SETDB1 to the promoter regions of KRAB target genes. KAP1 is expressed in all tissues tested including spleen, thymus, prostate, testis, ovary, small intestine, colon and peripheral blood leukocytes. The calcualted molecular weight of KAP1 is 89 kDa, but modified KAP1 is about 100 kDa. (PMID: 18590578)				
Background Information	to the TRIM/RBCC family. KAP1 is a r mediates gene silencing by recruitin complex, and SETDB1 to the promote spleen, thymus, prostate, testis, ovar	g CHD3, a subunit of t r regions of KRAB targ y, small intestine, colo	he nucleosome get genes. KAP1 i on and peripher	ontaining zinc finger proteins and remodeling and deacetylation (NuRD) s expressed in all tissues tested includir al blood leukocytes. The calcualted	
	to the TRIM/RBCC family. KAP1 is a m mediates gene silencing by recruitin complex, and SETDB1 to the promote spleen, thymus, prostate, testis, ovar molecular weight of KAP1 is 89 kDa,	g CHD3, a subunit of t r regions of KRAB targ y, small intestine, colo but modified KAP1 is	he nucleosome get genes. KAP1 i on and peripher about 100 kDa. (ontaining zinc finger proteins and remodeling and deacetylation (NuRD) s expressed in all tissues tested includir I blood leukocytes. The calcualted PMID: 18590578)	
Notable Publications	to the TRIM/RBCC family. KAP1 is a mediates gene silencing by recruitin complex, and SETDB1 to the promote spleen, thymus, prostate, testis, ovar molecular weight of KAP1 is 89 kDa,	g CHD3, a subunit of t r regions of KRAB targ y, small intestine, colo but modified KAP1 is omed ID Jour	he nucleosome set genes. KAP1 i on and periphera about 100 kDa. (nal	ontaining zinc finger proteins and remodeling and deacetylation (NuRD) s expressed in all tissues tested includir al blood leukocytes. The calcualted PMID: 18590578) Application	
	to the TRIM/RBCC family. KAP1 is a mediates gene silencing by recruitin complex, and SETDB1 to the promote spleen, thymus, prostate, testis, ovar molecular weight of KAP1 is 89 kDa, Author Put Yaguang Zhang 361	g CHD3, a subunit of t regions of KRAB targ y, small intestine, colo but modified KAP1 is omed ID Jour 100837 Sci C	he nucleosome (et genes. KAP1 i on and periphera about 100 kDa. (nal	ontaining zinc finger proteins and remodeling and deacetylation (NuRD) s expressed in all tissues tested includir al blood leukocytes. The calcualted PMID: 18590578) Application WB	
	to the TRIM/RBCC family. KAP1 is a mediates gene silencing by recruitin complex, and SETDB1 to the promote spleen, thymus, prostate, testis, ovar molecular weight of KAP1 is 89 kDa, Author Put Yaguang Zhang 361 Min Li 325	g CHD3, a subunit of t r regions of KRAB targ y, small intestine, colo but modified KAP1 is omed ID Jour 100837 Sci C	he nucleosome set genes. KAP1 i on and periphera about 100 kDa. (nal	ontaining zinc finger proteins and remodeling and deacetylation (NuRD) s expressed in all tissues tested includir al blood leukocytes. The calcualted PMID: 18590578) Application WB	
	to the TRIM/RBCC family. KAP1 is a mediates gene silencing by recruitin complex, and SETDB1 to the promote spleen, thymus, prostate, testis, ovar molecular weight of KAP1 is 89 kDa, Author Put Yaguang Zhang 361 Min Li 325	g CHD3, a subunit of t r regions of KRAB targ y, small intestine, colo but modified KAP1 is omed ID Jour L00837 Sci C	he nucleosome (et genes. KAP1 i on and periphera about 100 kDa. (nal China Life Sci Natl Acad Sci U	ontaining zinc finger proteins and remodeling and deacetylation (NuRD) s expressed in all tissues tested includin al blood leukocytes. The calcualted PMID: 18590578) Application WB S A chIP	
Notable Publications	to the TRIM/RBCC family. KAP1 is a mediates gene silencing by recruitin complex, and SETDB1 to the promote spleen, thymus, prostate, testis, ovar molecular weight of KAP1 is 89 kDa, Author Put Yaguang Zhang 361 Min Li 325	g CHD3, a subunit of t regions of KRAB targ y, small intestine, colo but modified KAP1 is omed ID Jour 100837 Sci C 200933 Proc 539314 Repr ter shipment.	he nucleosome (et genes. KAP1 i on and periphera about 100 kDa. (nal China Life Sci Natl Acad Sci U	ontaining zinc finger proteins and remodeling and deacetylation (NuRD) s expressed in all tissues tested includin al blood leukocytes. The calcualted PMID: 18590578) Application WB S A chIP	
Notable Publications	to the TRIM/RBCC family. KAP1 is a mediates gene silencing by recruitin complex, and SETDB1 to the promote spleen, thymus, prostate, testis, ovar molecular weight of KAP1 is 89 kDa, Author Put Yaguang Zhang 361 Min Li 329 Yanhui Zhai 335 Storage: Storage Buffer:	g CHD3, a subunit of t regions of KRAB targ y, small intestine, colo but modified KAP1 is omed ID Jour 100837 Sci C 200933 Proc 539314 Repr ter shipment.	he nucleosome (et genes. KAP1 i on and periphera about 100 kDa. (nal China Life Sci Natl Acad Sci U	ontaining zinc finger proteins and remodeling and deacetylation (NuRD) s expressed in all tissues tested includir al blood leukocytes. The calcualted PMID: 18590578) Application WB S A chIP	
Notable Publications	to the TRIM/RBCC family. KAP1 is a mediates gene silencing by recruitin complex, and SETDB1 to the promote spleen, thymus, prostate, testis, ovar, molecular weight of KAP1 is 89 kDa, Author Put Yaguang Zhang 361 Min Li 329 Yanhui Zhai 335 Storage: Storage Buffer: PBS with 0.02% sodium azide and 50	g CHD3, a subunit of t regions of KRAB targ y, small intestine, colo but modified KAP1 is omed ID Jour 100837 Sci C 200933 Proc 539314 Repr ter shipment.	he nucleosome (et genes. KAP1 i on and periphera about 100 kDa. (nal China Life Sci Natl Acad Sci U	ontaining zinc finger proteins and remodeling and deacetylation (NuRD) s expressed in all tissues tested includin al blood leukocytes. The calcualted PMID: 18590578) Application WB S A chIP	


and original va T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

clusively available under Protein I his pro Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of KAP1 antibody (15202-1-AP; 1:4000; incubated at room temperature for 1.5 hours) with sh-Control and sh-KAP1 transfected HeLa cells.




IP result of anti-KAP1 (IP:15202-1-AP, 4ug; Detection:15202-1-AP 1:1000) with HeLa cells lysate 1200ug.




Various lysates were subjected to SDS PAGE followed by western blot with 15202-1-AP (KAP1 antibody) at dilution of 1:15000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human colon tissue slide using 15202-1-AP (KAP1 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 15202-1-AP (KAP1 antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 15202-1-AP (KAP1 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using KAP1 antibody (15202-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L), CL594-Phalloidin (red).



Immunofluorescent analysis of Hela cells, using TRIM28 antibody 15202-1-AP at 1:25 dilution and Rhodamine-labeled goat anti-rabbit IgG (red).



1X10^{^6} HeLa cells were intracellularly stained with 0.4 ug Anti-Human KAP1 (15202-1-AP) and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit 1gG(H+L) at dilution 1:1000 (red), or 0.4 ug Rabbit 1gG control Rabbit P0JyAb (30000-0-AP, Clone:) (blue). Cells were fixed and permeabilized with True-Nuclear Transcription Factor Buffer Set.