

For Research Use Only

CDCA7 Polyclonal antibody

Catalog Number: 15249-1-AP

Featured Product

13 Publications



Basic Information

Catalog Number:

15249-1-AP

Size:

150ul, Concentration: 600 ug/ml by Nanodrop and 340 ug/ml by Bradford method using BSA as the standard;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG4297

GenBank Accession Number:

BC027966

GeneID (NCBI):

83879

UNIPROT ID:

Q9BWT1

Full Name:

cell division cycle associated 7

Calculated MW:

43 kDa

Observed MW:

40-43 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:5000

IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC 1:250-1:1000

IF/ICC 1:10-1:100

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Cited Applications:

WB, IHC, IF

Species Specificity:

human, mouse, rat

Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : A549 cells, HeLa cells, HEK-293 cells, Raji cells

IP : HEK-293 cells,

IHC : human colon cancer tissue,

IF/ICC : HepG2 cells,

Background Information

CDCA7, also named as JPO1, participates in MYC-mediated cell transformation and apoptosis. It plays a role as transcriptional regulator.

Notable Publications

Author	Pubmed ID	Journal	Application
Li Wang	33236014	bioRxiv	WB
Yu-Ting Huang	28583079	BMC Neurosci	IF
Yangyang Shang	35660018	J Biol Chem	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




A549 cells were subjected to SDS PAGE followed by western blot with 15249-1-AP (CDCA7 antibody) at dilution of 1:2500 incubated at room temperature for 1.5 hours.




WB result of CDCA7 antibody (15249-1-AP; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-CDCA7 transfected HeLa cells.




IP result of anti-CDCA7 (IP:15249-1-AP, 4ug; Detection:15249-1-AP 1:2000) with HEK-293 cells lysate 1480 ug.



Immunohistochemical analysis of paraffin-embedded Colorectal cancer slide using 15249-1-AP (CDCA7 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded Colorectal cancer slide using 15249-1-AP (CDCA7 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of HepG2 cells using 15249-1-AP (CDCA7 antibody) at dilution of 1:25 and Rhodamine-Goat anti-Rabbit IgG.