For Research Use Only

TRIM62 Polyclonal antibody

Catalog Number: 15256-1-AP 1 Publications



Basic Information

Catalog Number: GenBank Accession Number:

15256-1-AP BC001222
Size: GeneID (NCBI):
150ul , Concentration: 450 ug/ml by 55223

Nanodrop; UNIPROT ID:
Source: Q9BVG3
Rabbit Full Name:

Isotype: tripartite motif-containing 62

IgG Calculated MW:
Immunogen Catalog Number: 54 kDa
AG7143 Observed MW:
54 kDa

Purification Method: Antigen affinity purification Recommended Dilutions: WB 1:1000-1:4000 IHC 1:50-1:500 IF/ICC 1:200-1:800

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA Cited Applications:

WB

Species Specificity: human, mouse, rat Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:**

WB: BGC-823 cells, SGC-7901 cells, mouse ovary

tissue

IHC: mouse liver tissue, rat ovary tissue

IF/ICC: U2OS cells,

Background Information

TRIM62(Tripartite motif-containing protein 62) belongs to the TRIM/RBCC family. TRIM proteins are involved in a broad range of biological processes, including some that underlie genetic disorders, neurological disorders and cancers. TRIM62 is shown to promote the release of HIV from infected cells, and a TRIM62 protein that has a mutation in its RING domain was more active than the native protein in promoting HIV release(PMID:18836477).

Notable Publications

 Author
 Pubmed ID
 Journal
 Application

 Uchil Pradeep D PD
 23077300
 J Virol
 WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 15256-1-AP (TRIM62 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 15256-1-AP (TRIM62 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded mouse liver tissue slide using 15256-1-AP (TRIM62 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat ovary tissue slide using 15256-1-AP (TRIM62 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat ovary tissue slide using 15256-1-AP (TRIM62 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed U2OS cells using TRIM62 antibody (15256-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-phalloidin (red).